



S O U T H A F R I C A

Rental Catalogue

2011

NOVEMBER 2011 UPDATE

WWW.PANAVISION.ZA.COM

**CHAIRMAN:**

Rod MacPhail
 083 303 1133
 rod.macphail@panavision.za.com

MANAGING DIRECTOR:

Tony Eddy
 082 895 0508
 tony.eddy@panavision.za.com

MARKETING EXECUTIVE:

Robert Russell
 083 375 2381
 robert.russell@panavision.za.com

GENERAL MANAGER, JOHANNESBURG:

James Barth
 082 567 9314
 james.barth@panavision.za.com

CAPE TOWN

TEL +27 21 555 1780
FAX +27 21 555 1828

TECHNICAL

Louis Steyn (Technical)
 082 895 6030
 louis.steyn@panavision.za.com

Richard Abrahams
 (Kodak/Operations)
 082 871 2674
 richard.abrahams@panavision.za.com

Dave Forbes (Technical)
 082 324 1729
 david.forbes@panavision.za.com

Desmond Swartbooi (Grips)
 082 896 2637
 desmond.swartbooi@panavision.za.com

Daniel Smith (HD Manager)
 083 3457607
 daniel.smith@panavision.za.com

Torsten Wagner (Optics)
 082 323 6114
 torsten.wagner@panavision.za.com

CREW SUPPORT

Philip Doble (Floor Operations)
 082 653 5579
 philip.doble@panavision.za.com

Nicholas Doble (Client Liaison)
 082 324 8378
 nicholas.doble@panavision.za.com

Michael Wilson (Client liaison)
 082 657 1024
 michael.wilson@panavision.za.com

David Thomas (Floor Operations)
 083 660 6146
 david.thomas@panavision.za.com

Shakira Mohamed (Kodak)
 082 759 5423
 shakira.mohamed@panavision.za.com

JOHANNESBURG

TEL +27 11 314 1748
FAX +27 11 314 1749

TECHNICAL

Clive Shirlaw (Digital Imaging)
 082 811 0462
 clive.shirlaw@panavision.za.com

Arno Durandt (Digital Imaging)
 079 508 4393
 arno.durandt@panavision.za.com

Craig Rossouw (Grips)
 076 834 7464
 craig.rossouw@panavision.za.com

CREW SUPPORT

Toyah Fitzpatrick (Client Liaison)
 072 257 3896
 toyah.fitzpatrick@panavision.za.com

Jerry Kwangwa (Floor Operations)
 082 324 2014
 jerry.kwangwa@panavision.za.com

Avril Reddy (Client Liaison)
 079 9144735
 avril.reddy@panavision.za.com

Millennium XL	4
Millennium Panaflex	5
Platinum Panaflex	6
Golden Panaflex	7
Panaflex Accessories	8
Arricam ST	9
Arricam LT	10
Arri 535B	11
Moviecam Compact	12
Moviecam SL	13
Arri 435	14
Arri 435 Accessories	15
Arri 235	16
Arri 3	17
HD Cameras and Lenses	18
HD Camera Underwater Housings	23
HD - Decks and Data Processing	24
Hd Optical Accessories, Video Cameras	26
Camera Accessories	27
Highspeed Film	30
Highspeed HD	32
3D	33

35mm Lenses – Panavision	35
35mm Anamorphic Lenses – Panavision	37
35mm Zoom/Special Lenses – Panavision	39
35mm Lenses - Non-PV	40
35mm Zoom Lenses - Non-PV	43
35mm Macro Lenses - Non-PV	44
35mm Special Lenses - Non-PV	45
35mm Anamorphics - Non-PV	46
Lens Relay Systems	47
Lens Control Systems	48
Optical Accessories	49
16mm Cameras	50
16mm Lenses	53
Filters	54
Grips - Heads And Tripods	55
Grips - Rigs	56
Grips - Dollies	57
Grips - Jib Arms	61
Grips - Cranes	62
Grips - Tracks And Car Mounts	64
Remote Heads	65
Underwater Housings	67
Video Playback	68
Filmstock	70
Technical Services & Transport	71
General Terms And Conditions	72

PANAVISION EQUIPMENT WEEKLY RATE = 3 × DAILY RATE		DAILY (ZAR)
Millenium XL The Millenium XL is the smallest, lightest, studio quiet camera that can be quickly converted into hand-held or Steadicam configuration. Camera speed is from 3 to 40fps and the 11.2 to 180 degree internal motorized shutter allows for a four stop ramp speed change. Dual motors can be purposely mistimed for streaking effects. The Millennium XL is available in three different versions: Steadicam only, Steadicam/Hand-held, and as a full studio camera with telescoping eyepiece		
MILLENNIUM XL Panaflex Camera System		14 320.00
Includes all items in the HAND HELD and Steadicam modes plus the following : Millennium Studio Extension Eyepiece Eyepiece Leveller - Millennium Matte Box Modular Monitor Bracket Millennium Iris Rod Bracket Panalens Lite with Video Follow Focus Extension 12" 24V Batteries x 2 Camera Mount Clip-on Mattebox with rotating Pola Slot Battery Handle MXL Receiver Handle Millennium lightweight camera mount Ground Glass Gel filter box Steadicam Adaptor Plate Steadicam Spacer Mount Steadicam Adaptor Plate - low mode Follow Focus Extension 12"		
MILLENNIUM XL Accessories		
Millennium XL FTZSAC Controller Digital link version of FTZSAC, remote focus, t-stop, zoom speed and aperture control. RS 232 serial control, wired and wireless		3402.00
400ft L/W Magnesium Magazine		740.00
200ft L/W Magnesium Magazine		777.00
L/W Hand Held Grip Assembly		1245.00
MXL Remote Reciever		585.00
Hand Held Grip Zoom Control		585.00
Millennium on-board battery		79.00

PANAVISION EQUIPMENT WEEKLY RATE = 3 × DAILY RATE

DAILY
(ZAR)

MILLENNIUM PANAFLEX Camera System **14320.00**

The Millennium is a lightweight studio quiet camera that can be quickly converted into hand-held or Steadicam configuration. Camera speed is from 3 to 50 fps and the 11.2 to 180 degree internal motorized shutter allows for a four degree stop ramp speed change.

Includes :

- Millennium Colour Video Tap
- 24v Batteries x 3
- Panalens Lite with built-in Video Witness Camera
- On Board Video Monitor
- Sunshine Extension
- Modular Follow Focus
- Camera On/Off and Speed/Shutter Control Unit
- Telescoping Eyepiece Extension with Magnifier and internal heater
- Steadicam Adaptor Plates
- Iris Rod Bracket with 24 & 12 V DC Outlets
- Hand Held Panaclear Handle 2
- Wide Angle Matt Box
- Ground Glass (Panaglow)
- Box (12) Geletin Filter Holders
- Power Cables and Hand Held Accessories
- 3 Prs Iris Rods & Short Iris Rod Bracket
- Sliding Base Plate and Emergency Cable
- Hand Held Eyepiece with Internal Heater
- 24 V Heater cables and Speed Crank Handle
- Weather Protector

PANAVISION EQUIPMENT WEEKLY RATE = 3 × DAILY RATE

DAILY
(ZAR)

PLATINUM Panaflex Camera System

9630.00

Crystal Controlled 4 to 36 fps forwards and reverse in 1/10 frame increments, variable in-shot focal plane shutter 50 to 200 degrees, full fitting dual registration pins. High performance colour corrected viewfinders. For both studio and hand held use.

Includes :

- Panalens Lite
- 24 v Batteries x 3
- Sunshade Extension
- Wide Angle Matt Box
- Ground Glass (Panaglow)
- Box (12) Gelatin Filter Holders
- Follow Focus Unit
- Maintenance Kit with 3 Circuit Boards
- Right and Left Hand Grip
- Shoulder Rest
- 3 Prs of Iris Rods
- Short and Long Iris Rod Bracket
- Sliding Base Plate
- Eyepiece Leveller
- Extension Viewfinder
- Hand Held Eyepiece
- Built-in Eyepiece Heater
- Follow Focus Extension 12"
- 24 V Heater and Emergency Cables
- Speed Crank / L-Handle

PANAVISION EQUIPMENT WEEKLY RATE = 3 × DAILY RATE		DAILY (ZAR)
GOLDEN Panaflex G2 Camera System		8180.00
<p>Crystal Controlled at 24, 25 and 29.97 fps, var speed from 4 to 34 fps, var speed in-shot, focal plane shutter 50 to 200 degrees, full fitting dual registration pins, the G2 features a modified viewfinder system that is significantly brighter, both wide open and stopped down. For both studio and hand-held use.</p>		
<p>Includes :</p> <ul style="list-style-type: none"> 24 v Batteries x 3 Panalens Lite Sunshade Extension Wide Angle Matt Box Ground Glass (Panaglow) Box (12) Geletin Filters Follow Focus Unit Maintenance Kit with 4 Circuit Boards Right and Left Hand Grip Shoulder Rest 3 Prs of Iris Rods Short and Long Iris Rod Brackets Sliding Base Plate Eyepiece Leveller Extension Viewfinder Hand Held Eyepiece Built-In Eyepiece Heater Follow Focus Extension 12" 24 V Heater and Emergency Cables Speed Crank / L-Handle 		

PANAVISION EQUIPMENT WEEKLY RATE = 3 × DAILY RATE		DAILY (ZAR)
Panaflex Camera Accessories		
Magazines for Millennium		
1000ft L/W Magazine		785.00
400ft L/W Magazine		450.00
200ft L/W Magazine		435.00
Magazines for Platinum		
1000ft Mag with Digital Display		665.00
1000ft Reversing Magazine		835.00
1000ft Panaflex Magazine		665.00
500ft Panaflex Magazine		450.00
250ft Panaflex Magazine		435.00
Magazines for G2		
1000ft Panaflex Magazine		665.00
500ft Panaflex Magazine		450.00
250ft Panaflex Magazine		435.00
Magazine Heater Cover		585.00
Weather Protector (Long or Short)		490.00
Viewfinders and Accessories		
Medium Eyepiece (G2 and Platinum)		1170.00
Panafinder		545.00
Flange Focal Depth Set		420.00
PANAVISION Camera Video Assists		
Panaflex/Panastar Video Assist with frameline and character generator. Flicker - free at 24 and 30 fps, auto colour balkance, normal and boost gain, ND filter, wide sensitivity range. Displays camera speed and film footage.		5040.00
Super CCD - B & W Video Assist (Platinum, Gold, G2, Panastar) Bright, high-res, no lag, reduced flicker, auto manual gain, and iris, filter wheel.		3970.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 x DAILY RATE		DAILY (ZAR)
ARRICAM Studio (ST) Camera System		16261.00
Forward Speed : 1 to 60fps Reverse Speed : 1 to 32fps Noise Level : >20dB Electronic Shutter : 11.2 - 180° Temperature Range: -10°C / +40°C (+14°F / +104°F) Camera body with finder 8.1kg/17.8lbs Camera body with 400' ST Magazine 11.4kg/25.1lbs ARRICAM ST Camera Package Includes: 3 or 4 Perf Movement ST Camera Body inc. g/g and glow mask 3 x ST 400' Magazines, work light Zoom Extension Viewfinder EL-3 Viewfinder Leveller Power Bridge and 19mm Support Bars 2 x Power Cables 3 x 18AH 24v Batteries and Charger SCB Speed Control Box MB 16 4" FF3		
ARRICAM ST Accessories		
ST Integrated Video System (IVS)		4074.00
ST 400' Magazine		1528.00
ST 1000' Magazine		2415.00
ST Medium Extension Viewfinder		1712.00
ST Shoulder Set		1528.00
ST Lens Data Box		2163.00
MCB Manual Control Box		341.00
Timing Shift Box		1859.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 x DAILY RATE

	DAILY (ZAR)
ARRICAM Lite (LT) Camera System	14221.00
Forward Speed : 1 to 48fps Reverse Speed : 1 to 32fps Noise Level : >24dB Electronic Shutter : 11.2 - 180° Temperature Range: -10°C / +40°C (+14°F / +104°F)	
ARRICAM LT Camera Package Includes: 3 or 4 Perf Movement LT Camera Body inc. g/g and glow mask 3 x LT 400' Magazines, work light Zoom Extension Viewfinder ST to LT Magazine Adapter EL-3 Viewfinder Leveller Power Bridge and 19mm Support Bars 2 x Power Cables 3 x 18AH 24v Batteries and Charger MB 16 4" FF3	
ARRICAM LT Accessories	
LT Integrated Video System (IVS)	4074.00
ST 1000' Magazine	2415.00
LT 400' Shoulder Magazine	1528.00
LT 400' Steadicam Magazine	1906.00
LT Medium Extension Viewfinder	1712.00
LT 100% Video Top	4074.00
LT Low Mode Support	441.00
LT Shoulder Set	1528.00
LT Lens Data Box	2163.00
MCB Manual Control Box	341.00
SCB Speed Control Box	2163.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE		DAILY (ZAR)
ARRI 535B Camera System		6000.00
Forward Speed : 3 to 60fps Reverse Speed : 3 to 60fps Noise Level : 19dB Manual Shutter : 15-180° Camera body with 400' Magazine 14.9kg/32.9lbs ARRI 535B Camera Kit Includes: Camera Body inc. g/g and glow mask 3 x 535 400' Magazines, Work Light FE-3 Extension Viewfinder with Magnifier EL-3 Viewfinder Leveller Bridge Plate and Support Bars 2 x Camera Power Cables 3 x 7AH 24v Batteries and Charger MB 16 4" FF3		
ARRI 535 Accessories		
535 Integrated Video System (IVS)		2300.00
535 1000' Magazine		998.00
535 400' Magazine		646.00
535 400' Steadicam Magazine		719.00
HE-3 Heated Eyecup		331.00
535B 100% Video Top		2373.00
S-2 Shoulder Set		814.00
CCU-1 Camera Control Unit		788.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 x DAILY RATE

	DAILY (ZAR)
MOVIECAM COMPACT Camera System	5000.00
Forward Speed : 2 to 50fps (with Moviespeed Control) Reverse Speed : 12 to 32fps Noise Level : >20dB Manual Shutter : 45 - 180°	
MOVIECAM COMPACT Camera Kit Includes: Camera Body inc. g/g and Movielite 3 x 400' Magazines Top Mount Magazine Adaptor Extension Eyepiece Heated Eyepiece Bridge Plate and 19mm Support Bars 2 x Camera Power Cables 3 x 7AH 24v Batteries and Charger MB 16 4" FF3	
MOVIECAM COMPACT Accessories	
Compact Colour Video Assist	1500.00
Compact 400' Magazine	1090.00
Compact 1000' Magazine	1420.00
Superspeed Control	1270.00
Moviecama Synco Control	720.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 x DAILY RATE

DAILY
(ZAR)

MOVIECAM SL Camera System	5000.00
<p>Forward Speed : 2 to 40fps Reverse Speed : 12 to 32fps Noise Level : >25dB Manual Shutter : 22.5 - 180°</p> <p>MOVIECAM SL Camera Kit Includes: Camera Body inc. g/g 3 x SL 400' Shoulder Magazines Compact to SL Magazine Adapter Extension Eyepiece Bridge Plate and 19mm Support Bars 2 x Camera Power Cables 3 x 7AH 24v Batteries and Charger MB 16 4" FF3</p>	
MOVIECAM SL Accessories	
SL B/W Video Assist	1000.00
SL 100% Video Block	2430.00
SL 400' Magazine	1090.00
SL Steadicam Magazine	850.00
Superspeed Control	1270.00
Moviecama Synco Control	720.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE

DAILY
(ZAR)**ARRI 435 XTREME Camera System****9291.00**

Forward Speed : 0.1 to 150fps
 Reverse Speed : 0.1 to 150fps
 Electronic Shutter : 11.2 - 180°
 Temperature Range: -20°C / +50°C (-4°F / +122°F)
 Weight without magazine 7kg/15.4lbs

435 XTREME Camera Kit Includes:

Camera Body inc. g/g and glow mask
 3 x 435 400' Magazines, Work Light
 EL-3 Viewfinder Leveller
 Bridge Plate and Support Bars
 3 x 12AH 30v Batteries and Charger
 MB 16 4"
 FF3

ARRI 435 Advanced & ES Camera Systems**8446.00**

Forward Speed : 0.1 to 150fps
 Reverse Speed : 0.1 to 150fps
 Electronic Shutter : 11.2 - 180°
 Temperature Range: -20°C / +50°C (-4°F / +122°F)
 Weight without magazine 6.5kg/14.3lbs

435 Advanced Camera Kit Includes:

Camera Body inc. g/g and glow mask
 3 x 435 400' Magazines, Work Light
 EL-3 Viewfinder Leveller
 Bridge Plate and Support Bars
 3 x 12AH 30v Batteries and Charger
 MB 16 4"
 FF3

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE		DAILY (ZAR)
ARRI 435 Accessories		
435 Integrated Video System (IVS)		3731.00
435 400' Magazine		677.00
435 1000' Magazine		924.00
435 400' Steadicam Magazine		819.00
FE-3 Extension Viewfinder		735.00
HE-4 Heated Eye Cup		331.00
435 100% Video Top		2489.00
S-4 Shoulder Set		814.00
RCU-1 Remote Control Unit		819.00
ICS Integrated Capping Shutter (Intervalometer)		4079.00
MCI Motion Control Interface		POA
3 Perf Conversion		POA

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE

DAILY
(ZAR)

ARRI 235 Camera System		8656.00
Forward Speed : 1 to 75fps Reverse Speed : 20 to 30fps Manual Shutter : 45 - 180° Temperature Range: -20°C / +50°C (-4°F / +122°F) Weight without magazine 3.5kg/7.7lbs 235 Camera Kit Includes: Camera Body inc. g/g and Glow Mask 3 x 235 200' Shoulder Magazines Extension Viewfinder Bridge Plate & Riser with 19mm Support Bars SBR-1 235 Side Bracket 3 x 7AH 24v Batteries and Charger 3 x 1.6AH 25.2V OBB-1 Battery and Charger MB 16 4" FF3		
235 Accessories		
IVS-2 Integrated Video System	2205.00	
235 200' Shoulder Magazine	368.00	
235 400' Shoulder Magazine	735.00	
435 400' Steadicam Magazine	835.00	
MEE-1 Medium Extension Viewfinder	746.00	
LEE-1 Long Extension Viewfinder	782.00	
HE-4 Heated Eyecup	331.00	
LMS-1 Low Mode Support	572.00	
RCU-1 Remote Control Unit	819.00	
RS-4 Remote Switch	105.00	
EXD-1 External Camera Display	300.00	
235 Low Mode Handle	572.00	

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE		DAILY (ZAR)
ARRI 3 MK2 Camera System		2900.00
Forward Speed : 3 to 50fps (130fps with CE crystal base) Reverse Speed : 3 to 50fps Manual Shutter : 15 - 180° Weight with magazine 6.71kg/14.8lbs ARRI 3 MK2 Camera Kit Includes: Camera Body inc. g/g 3 x 400' Magazines, Work Light Cinematography Electronics Crystal Base Bridge Plate and Support Bars 2 x Camera Power Cables 6 x 7AH 12v Batteries and Charger		
ARRI 3 Accessories		
200' Magazine		70.00
400' Magazine		100.00
12V Heated Eyecup		150.00
Arri 3 Orientable Eyepiece with Video Optics		430.00
Denz 2000 with Arri 3 Optics		2100.00
Arri 3 Handcrank		2100.00

PANAVISION EQUIPMENT WEEKLY RATE = 3 × DAILY RATE

	DAILY (ZAR)
Panavision Genesis	24000.00
<p>The Genesis is a 4:4:4 RGB Camera system and has a 1.2" (Super 35) size sensor. The Genesis records in Panalog onto HDCAM SR tape. Frame rates are from 1 to 50 fps and the ASA rating is 250D, 500T and can be rated to 2000ASA. The Genesis utilises 35mm Primo Primes and Zoom lenses.</p> <p>Camera Package Kit includes: Camera body, Follow Focus, 4 x 5.6" Matt Box Onboard Monitor, Ext Viewfinder, SRW1 HDCAM SR Deck, Gamma Display Processor</p>	
Sony F35	19500.00
<p>Kit Includes :</p> <p>24V AC Power Supply, Battery Supply, 19mm support, Evertz 12v power supply, F23 Centre Handle, F23 Dovetail bracket, F23 Handle Bracket, Offset Handle, Genesis Eyepiece and extension, Genesis low mode bracket, Iris rods, shoulder pad, Sony SRW-1 control panel,SRW1, HDcam SR deck</p>	
Primo Digital Lenses	
6:27mm Primo Digital Zoom t1.6	3938.00
8:72mm Primo Digital Zoom t1.6	3938.00
25:112mm Primo Digital Zoom t1.9	3938.00
7mm Primo Digital Lens t1.9	1980.00
Accessories and Monitors	
Down Converter	610.00
9" Colour HD Monitor	819.00
17" Colour HD Monitor	1628.00
6" Waveform Monitor	1208.00

HD EQUIPMENT WEEKLY RATE = 4 × DAILY RATE	DAILY (ZAR)
<p>SONY HDW-F900R</p> <p>Full Res 1080p HDCAM-based 4:2:2 Camcorder 23.98p, 24p, 25p, 29.97p, 50i & 59.94i Capable B4 Mount</p> <p>Camera Package Kit includes: HDW-F900R Camera Body HKDW 902 Down converter with 2:3 Pull Down HDVF-C30W HD Colour Viewfinder ARRI 19mm Digicine Baseplate ARRI Dovetail (O'Connor Type) LEMO 12V Splitter Box 4x Anton Bauer Hytron 140 Batteries</p>	8000.00
<p>Sony F35</p> <p>Camera Package Kit includes: Camera Body PV or PL Mount Powered Riserblock 19mm 440mm Bars 19mm Arri Bridge Plate Sliding Base Plate 2 x 32Gb SXS Cards 1 x SXS Card Reader 2 x On-Board Batteries with Charger 2 x 18Ah Batteries and Charger</p>	4200.00
<p>Panasonic HD27EF Varicam System</p> <p>The Varicam is a variable frame rate camera up to 60fps and has a 2/3rds" CCD sensor with resolution of 1920 X 720p. Lens mount is B4.</p> <p>Kit includes: 19mm Support, Bl and Wh eyepiece</p>	6300.00
<p>Panasonic HDX 400EX System</p> <p>The HDX 400EX is a switchable camera - 720p & 1080i It has a 2/3rds" sensor with a resolution of 1920 x 720. Lens mount is B4.</p> <p>Kit includes : 19mm Support, Bl and Wh eyepiece</p>	4200.00

HD EQUIPMENT WEEKLY RATE = 4 × DAILY RATE

DAILY
(ZAR)

Sony HXR-MC1P Pencil Camera/POV Camera

1890.00

The HXR-MC1P Pencil Cam is uniquely designed with separate camera head and control unit capable of capturing full HD resolution of 1920 x 1080. Ideal for capturing high-energy sports or danger shots where mobility is beyond the scope of traditional hand-held or shoulder-mount cameras. Camera has a dedicated built-in zoom lens with iris control and recording of up to 6 hours of un-interrupted material onto a 16GB memory stick is possible.

Kit includes :

- Charger, Wide Angle Adapter, Pola filter, UV Filter
- 2 x 16 GB cards, 1 x Pro Duo Card Adapter, RGB Cable
- Video Out cable

RED Mysterium - X Camera

8500.00

This camera is the second in the RED evolution. The Mysterium - X (MX) has improved colour matrix and a higher ISO rating than the RED 1. Resolution 4520x2540, 35mm CMOS sensor, frame ratio variable from 1 to 120fps. Takes PL and PV lenses.

Kit Includes :

- Camera body with MX Sensor PV or PL Mount
- Eyepeice
- On-Board Minitor
- 19mm Top support brackets with 340mm 19mm bars (short bars)
- Base Plate
- Element Technica Top Handle (Cheese Stick) with 3/8" And 1/4" Element Technica Top Cheese Plate
- 19mm Bridge Plate With 440mm Bars (medium bars)
- Panavision 12V Splitter Box With D-Tap to 12V Input, Lemo 4Pin (GPIO) Input And 3 x PV12V Output, 1 x PV 24V Output, 1 x 24V 3Pin Fischer Output. 1 X 4 Pin Lemo (GPIO) Output
- 2 x 640Gb Red Drives With Element Vibration Isolator
- 3 x 128Gb Red SSD Cards
- 1 x SSD Card Reader
- 1 x IDX Battery Plate
- 4 x 1DX E10 Batteries With Charger
- 2 x Handles
- 1 x Shoulder Support
- All necessary cables and spares

HD EQUIPMENT WEEKLY RATE = 4 × DAILY RATE		DAILY (ZAR)
RED Epic		9500.00
Kit Includes :		
Camera Body PV or PL Mount		
19mm Bridge Support		
Sliding Base Plate		
19mm 440mm Bars		
Touch Screen Monitor		
Red Bomb Eye Piece		
Redmote		
Red Side Handle		
Top Bracket With Handle		
4 x Batteries With Charger		
RED Accessories		
Down converter		550.00
Mac Book Pro with all software		945.00
Dell Operators Monitor		945.00
Hotswop Adapter		250.00

HD EQUIPMENT WEEKLY RATE = 4 × DAILY RATE		DAILY (ZAR)
Alexa		7950.00
Kit Includes: Camera Body PV or PL Mount 19mm Bridge Support Arri Sliding Base Plate 5 x 32Gb Sxs Cards 19mm Medium Bars 4 x Anton Bauer Batteries		
Alexa High Speed Accessories		
High Speed Cards		850.00
Canon 5D MK2		1800.00
Shoots 1920 x 1080, 35mm still format, CMOS sensor. Can use 35mm PV or PL lenses.		
Kit Includes: 2 X 32GB CF cards Onboard monitor 19mm support HDMI converter		

HD EQUIPMENT WEEKLY RATE = 4 × DAILY RATE	DAILY (ZAR)
<p>Seahorse 5D Housing</p> <p>Underwater housing for 5D camera with under water operators monitor and ability to supply S/D video assist image to surface.</p> <p>Housing configuration included: 5D camera housing, Zeiss 24mm, 28mm and 36mm Primes, Lens gearing and 2X dome ports. Under water operator's monitor.</p>	7200.00
<p>Alexa Hydroflex Remote Aqua Cam Housing</p> <p>Offers the versatility of hand-held operation or remote operation on the HydroFlex HydroHead. The camera's main power is provided by a block battery at the surface, and an on-board battery keeps the power uninterrupted when changing the block battery, so you never have to pull it up for a battery change. Because the lens is manipulated via a Preston Remote Lens Control System, nearly any prime lens can be used as well as many small zooms. Both flat and dome ports are included with the package.</p> <p>An underwater ethernet cable allows for system monitoring and remote control over all parameters of camera functions. Dual link video to the surface is available if 4:4:4 color space is required.</p>	10786.00
Underwater Housing for P/Cam with remote control	1260.00
Underwater Housing for RED camera	6320.00

HD EQUIPMENT WEEKLY RATE = 4 × DAILY RATE	DAILY (ZAR)
Sony SRW1 portable recording deck Formats include : HDCAM SR, HDCAM	5200.00
Sony SRW5000 studio recording deck Formats include : HDCAM SR, HDCAM	7875.00
Sony HDCAM500F deck Formats include HDCAM	4500.00
Panasonic AJ HD 1400 deck Incl: Frame rate converter. Formats include DVC Pro HD	1950.00
Trans coding + Grading Equipment Technical Services Digital Imaging Processing Centre - DIPC: <ul style="list-style-type: none"> • Data processing centre which can deal with workflow from multiple camera formats such as Genesis, RED, Phantom, Sony F900, Canon D5/D7 512K and more. • Powered by Assimilate Scratch, Iridis, Blue Fish and Red Rocket - this powerful tool can deal with any Incoming digital camera format, perform basic or complex colour grades, trans-code, produce digital masters, clones and final files in any possible format. • The DIPC system Is completely portable for use on location or can easily configured within a small van or kombi to allow easy use in a highly mobile situation. Attentively the DIPC is set up in our Imaging Suite where customers can view rushes and finished projects projected and screened in the privacy of our mini theatre. 	10000.00
Red Rocket card/ Mac Pro Tower (price per day)	1900.00
Red Rocket card (price per day)	1000.00
Mac Book Pro (price per day)	900.00

HD EQUIPMENT WEEKLY RATE = 4 × DAILY RATE		DAILY (ZAR)
Digital Data Services: In-house Transcoding (Includes labour and equipment)		
Full quality Std Def (per hour)		1000.00
Full quality 1280X720 HD (per hour)		1500.00
Full quality 1920X1080 HD (per hour)		1800.00

NB: Red trans-coding limited to 180 mins per day per camera. Additional will be charged at R10 per GB

Digital Data Services: Storage Bank (per gig, per month)	2.50
---	------

Nano Flash HD/SD Recorder/Player	600.00
<p>Ultra small, ultra light and ultra low power. Professional HD/SD recorder/player. Easily mountable to your camera, Nano flash will record higher quality images than the camera itself, due to its design. Nano flash captures never-compressed video/audio from the HD-SDI or HDMI output. Nano flash up-throttles the very high quality Sony MPEG2 codec and records the video/audio onto affordable compact flash media at visually lossless rates up to 180mps (long - GOP) or 280Mbps (1 - frame). The footage can be stored in either Quicktime (MOV), MXF or MPEG file formats, providing universal NLE support as well as DVD/Blu-Ray authorising formats.</p> <p>Kit Includes: 2 X 16GB CF cards</p>	
Nexto DI	600.00
<p>Allows 6 times faster data copy workflow from compact flash SxS, P2/P2E, SDHD, memory stick and Ikegami GFPDK. Backup to copies at the same time with full data verification. Highspeed 1/o eSATA, Firewire.</p>	

HD EQUIPMENT WEEKLY RATE = 4 × DAILY RATE	DAILY (ZAR)
Canon Zoom Lenses	
HJ11 x 4.7B KLL Wide Angle Cine Style HD Zoom Lens	2310.00
HJ21 x 7.5B KLL Telephoto Cine Style HD Zoom Lens	2310.00
HJ11 x 4.7B KLL Wide Angle ENG Style HD Zoom Lens	2310.00
HJ21 x 7.5B KLL Telephoto ENG Style HD Zoom Lens	2310.00
Canon Prime Lenses (R918.00 each)	
Set Canon EC HD Primes (40,50,80 and 150mm)	918.00
P+S Pro 35 Adaptor Adapts B-4 mount to PL Mount with inherent DoF operates via internal Spinning Groundglass facilitating the creation of a "Film Look"	3675.00
Arri Alura Zoom Lenses	
18:80mm Wide Angle Zoom Lens T2.6	6888.00
45:250mm Telephoto Zoom Lens T2.6	7277.00
HD Monitors	
6" Waveform Monitor	1208.00
Data video HD7d 7" onboard monitor	700.00
9" PLH9E Monitor	819.00
17" PLH17E Monitor	1628.00
ARRI Accessories	
FF-5 ARRI HD Follow Focus	672.00
MB20 ARRI HD Production Matte Box	630.00
Video Cameras: HDV	
Sony HVR-ZIE HDV Camera incl. Sachtler Head & Legs	1050.00
Chrosziel Matte Box	263.00
Chrosziel Mini Follow Focus	200.00

PANAVISION EQUIPMENT WEEKLY RATE = 3 × DAILY RATE		DAILY (ZAR)
miniDV		
PD 150 Sony miniDV Camera incl Manfrotto Head & Legs		475.00
Pulnix Camera		POA
Panavision Remote Products		
Millennium FTZSAC Controller		3402.00
Panavision Accessories		
Clip-on Matte box		196.00
6.6" Grad Matte box		598.00
6.6" Modular Matte box		732.00
Modular Follow Focus		1654.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE		DAILY (ZAR)
Batteries		
12V 7Ah Block Battery		79.00
12V 18Ah Block Battery		79.00
24V 235 On Board Battery (OBB-1)		79.00
24V 7Ah Camera Battery		79.00
24V 18Ah Camera Battery		79.00
24V 4AH NiMH SR3 On Board Battery		79.00
30V 12Ah Camera Battery		79.00
12/24/30V Charger		80.00
Electronic		
CCU - Camera Control Unit		788.00
ESU - External Sync Unit		698.00
FVSC - Film/Video Synchroniser Control		987.00
ICS - Integrated Capping Shutter (Intervalometer)		4079.00
Cinematography Electronics Cine Tape		2289.00
Misc		
Harrison 1000' Changing Tent		68.00
Harrison 400' Changing Tent		68.00
Large Changing Bag		63.00
Unit Box		99.00
Inclinometer		404.00
Carts		
Magliner Junior Cart		404.00
Magliner Senior Cart		572.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE		DAILY (ZAR)
Camera Accessories for HD Cameras		
Arri MB 19 Mattbox		609.00
Arri Follow Focus		646.00
Microforce Zoom Control		646.00
Evertz Down Converter		809.00

	DAILY (ZAR)
Photo-Sonics 4ER High Speed Camera System	16690.00
BNCR Mount Reflex Camera 6 - 360 fps 5°-120° Shutter 3 x 1000' Magazines Colour Video Assist Utilises Standard 35mm Stock	
Photo-Sonics 4ER BNCR Lenses	4580.00
19mm Leitz 25mm Zeiss Distagon 35mm Zeiss Distagon 50mm Zeiss Planar 85mm Zeiss 100mm Optex 135mm Optex	
24-290mm Optimo	7277.00
25-250mm MK II Cooke Varotal	2478.00
Photo-Sonics 4C High Speed Camera System	26500.00
Pentax 67 Mount Reflex Camera 208-2083 fps 72° Fixed Shutter 4 x 1000' Magazines Colour CEI Video Assist 4C 32A 3 Phase Transformer Utilises Standard 35mm Stock	
Photo-Sonics 4C Pentax Lenses (R1005.00 each)	4580.00
35mm 45mm 55mm 75mm 90mm 105mm 135mm Macro 165mm	
25-250mm MK II Cooke Varotal	2478.00

	DAILY (ZAR)
Photo-Sonics Actionmaster Super-16	10999.00
High Speed Camera System Super 16 PL Camera Mount* 10-360 fps (crystal controlled) 9°-144° Shutter 3 x 400' Magazines CEI Colour Video Assist 240V 1.2A Power Supply 12V 25AH Batteries and Charger *Note: PL Mount has restrictions, check for lens compatibility.	
Photosonics Technician on Set	
All hires require the presence of a PANAVISION-Approved technician.	
Gearcheck day	POA
Travel Day	POA
Shoot Day	POA
Technician Vehicle	POA
Rates comply to a normal 10 hour Commercial day, Subject to Standard overtime rates. Rates are adjusted accordingly for Sundays and Public Holidays All airtickets, accommodation, transport and per diems are to be covered by production for Away Shoots	

	DAILY (ZAR)
Phantom Gold Camera System (PV and PL)	25500.00
<p>The Phantom HD camera is a high-speed camera that shoots at 1 - 1000 fps at 2K resolution, with 32GB Image memory and 1" sensor. By interchanging the camera mount, it is possible to use Panavision and PL mounted lenses.</p> <p>Kit includes :</p> <ul style="list-style-type: none"> Power supply and cables, Camera control cable, 5m Ethernet cable, Sony 2.7" HD Colour LCD viewfinder Riser plate with 19mm rods, Trigger Pickle Switch, 30m CAT 5 Ethernet Cable x 2, Laptop controller 	
Phantom Accessories	
512GB Flash Mags	8500.00
Docking station.	6500.00
Phantom Technician on set	
All hires require the presence of a PANAVISION-Approved technician.	
Gearcheck Day	POA
Travel Day	POA
Shoot Day	POA

Rates comply to a normal 10 hour Commercial day,
 Subject to Standard overtime rates.
 Rates are adjusted accordingly for Sundays and Public Holidays
 All airtickets, accommodation, transport and per diems are to be covered by production for
 Away Shoots

3D EQUIPMENT WEEKLY RATE = 4 × DAILY RATE		DAILY (ZAR)
Element Technica 3D/Quasar Rig		27300.00
<p>Designed and manufactured by Elements Technica. This rig was designed with a multitude of cameras in mind, from the Panavision Genesis to the Sony F35 and on to the Arri Alexa. The rig is able to adapt to all shooting conditions and able to be reconfigured into the various 3D configurations Side By Side, Over/Through or Under/Through depending on one's needs. Or though modular in design it is very stable to use and can be mounted on various platforms, cranes, cars etc no special rigging required but the extra weight needs to be taken into consideration.</p> <p>Kit Includes: Inter Ocular Convergence Remote (Bluetooth or Cable) Power Distribution Box (24v + 12v) 5Mirror extender rods 10m remote lead</p>		
Element Technica 3D/Pulsar Rig		27300.00
<p>Designed and manufactured by Elements Technica this rig is specific to the RED Epic due to its small camera profile, making this rig smaller than its predecessor the Quasar, without compromising any of the design successes of the Quasar. The Pulsar is modular and can be configured in Side By Side modes as well as Over/Through and Under/Through. Being lighter than the Quasar the Pulsar is able to open the range of platforms to be mounted upon.</p> <p>Kit Includes: Inter Ocular Convergence Remote (Bluetooth or Cable) Power Distribution Box (24v + 12v) 5Mirror extender rods 10m remote lead</p>		
3D Accessories		
Stereo Brain 3D HD Processor		2835.00
46" JVC 3D LCD Monitor (including 3D glasses)		5200.00
Lock-it and Sync Boxes		750.00
12" 3D Monitor		4200.00

3D EQUIPMENT WEEKLY RATE = 4 × DAILY RATE	DAILY (ZAR)
<p>QTAKE HD - 3D VIDEO ASSIST</p> <p>3D VT at its finest. The QTake is a 3D VT wonder machine able to ingest 4 video streams simultaneously, record them all and generate, onset, the 3D effect for the Director, DOP and Stereo-grapher's perusal.</p> <p>Kit Includes: 8 Core Mac Pro 24" Monitor</p>	<p>7150.00</p>
<p>46" JVC 3D LCD Monitor (including 3D glasses, extra 3D Glasses, HDMI Cable)</p>	<p>5200.00</p>

PANAVISION EQUIPMENT WEEKLY RATE = 3 × DAILY RATE			DAILY (ZAR)
35mm Spherical Lenses 5mm			
Colour matched lenses combining high contrast and resolution with good field illumination, negligible veiling glare, ghosting and distortion			
Primo Prime Lenses			
10mm	t1.9	CF 2'	1525.00
14.5mm	t1.9	CF 2'	1185.00
17.5mm	t1.9	CF 2'	1185.00
21mm	t1.9	CF 2'	1185.00
27mm	t1.9	CF 2'	1185.00
35mm	t1.9	CF 2'	1185.00
40mm	t1.9	CF 2'	1185.00
50mm	t1.9	CF 2'	1185.00
75mm	t1.9	CF 3'	1185.00
100mm	t1.9	CF 3'	1185.00
150mm	t1.9	CF 5 3/4'	1185.00
1.4X Primo Range Extender			593.00
Primo Close Focus Lenses			
14.5mm	t1.9	CF 8 1/4"	1405.00
17.5mm	t1.9	CF 7 1/2"	1405.00
21mm	t1.9	CF 9 1/2"	1405.00
27mm	t1.9	CF 9 1/2"	1405.00
35mm	t1.9	CF 11"	1405.00
Primo Zoom Lenses			
Colour and Performance matched to Primo Prime Lenses			
17.5 to 75mm	t2.3	CF 2 3/4'	4245.00
24 to 275mm	t2.8	CF 4'	4245.00
135 to 420mm	t2.8	CF 8 1/2'	4245.00

PANAVISION EQUIPMENT WEEKLY RATE = 3 × DAILY RATE			DAILY (ZAR)
Primo Macro Zoom Lenses			
<p>Compact and relatively lightweight, this wide angle Primo Zoom lens with continuous focussing to Macro magnifications, utilizes two aspherically surfaced exotic glass elements, making it the most advanced Panavision Primo Zoom lens in the series. Colour and Performance matched to Primo prime and zoom lenses, the Primo Macro Zoom also covers Super 35 format over its entire zoom range and down to 5" close focus (Object in front of lens). Will not accept extenders.</p>			
14.5 to 50mm	t2.2	CF 15"	4873.00
Macro Lenses			
50mm	t1.4	CF 15"	1905.00
90mm	t2	CF 14 3/4"	1905.00
Panavision / Frazier Lens System			8925.00
<p>Extremely versatile lens system with built-in deep filed capability, panning, dutch head movements, image rotation/derotation (As per Panatate) , low mode positioning for ground shots. System allows macro objects and distant objects (even at Infinity) to be simultaneously held in focus for unusual shots. Internally takes up to three 40,5 type glass Pola filters. Also Image quality matched to Panavision Primo prime and zoom lenses for intercutting of shots. Covers Super 35mm format. Maximum aperture is t7.1 with any lens used.</p> <p>Includes :</p> <ul style="list-style-type: none"> 17mm (gives 12mm) 20mm (gives 14mm) 24mm slant focus perspective control (gives 17mm) 28mm (gives 20mm) 35mm Perspective control (gives 25mm) 45mm Slant Focus Perspective Control (gives 32mm) 50mm (gives 35mm) Modular Follow Focus Gear Box Frazier Lens System Image Rotation Motor Small filters 			

PANAVISION EQUIPMENT WEEKLY RATE = 3 × DAILY RATE			DAILY (ZAR)
Primo “Close Focus” Series Lenses			
Colour matched lenses providing excellent image quality over an extended focus range.			
35mm	t2	CF 2 3/4'	1472.00
40mm	t2	CF 2 3/4'	1472.00
50mm	t2	CF 2 3/4'	1472.00
75mm	t2	CF 2 1/2'	1472.00
100mm	t2	CF 2 1/2'	1472.00
Primo Series Lenses			
Colour matched lenses providing excellent image quality			
35mm	t2	CF 3 1/2'	2066.00
40mm	t2	CF 3 1/2'	2066.00
50mm	t2	CF 3 1/2'	2066.00
75mm	t2	CF 4 1/2'	2066.00
100mm	t2	CF 4 1/2'	2066.00
1.4 X Primo Extender (1 stop loss)			1417.00
“E” Series Lenses			
Partly colour matched lenses providing very good image quality			
28mm	t2.3	CF 5'	1446.00
35mm	t2	CF 5'	1446.00
40mm	t2	CF 5'	1446.00
50mm	t2	CF 5'	1446.00
75mm	t2	CF 5'	1446.00
85mm	t2	CF 5'	1446.00
100mm	t2.3	CF 5'	1446.00
135mm	t2.8	CF 3 3/4'	1446.00
180mm	t2.8	CF 4 1/2'	1446.00

PANAVISION EQUIPMENT WEEKLY RATE = 3 × DAILY RATE

DAILY
(ZAR)

"C" Series Lenses			
Compact Lenses providing good image quality			
30mm	t3	CF 4'	1446.00
35mm	t2.3	CF 2 3/4'	1446.00
40mm	t2.8	CF 2 1/2'	1446.00
50mm	t2.3	CF 2 1/2'	1446.00
60mm	t2.8	CF 3 1/2'	1446.00
75mm	t2.5	CF 4 1/2'	1446.00
100mm	t2.8	CF 4 1/2'	1446.00
150mm	t3.5	CF 5'	1446.00
180mm	t2.8	CF 7'	1446.00
1.4 X Primo Extender (1 Stop loss)			1417.00
Super (High) Speed Lenses			
24mm	t1.6	CF 6'	982.00
35mm	t1.4	CF 4 1/2'	982.00
50mm	t1.1	CF 4'	982.00
50mm	t1.4	CF 4'	982.00
55mm	t1.4	CF 4'	982.00
75mm	t1.8	CF 4 1/2'	982.00
100mm	t1.8	CF 4 1/2 - 5'	982.00
Telephoto Lenses			
360mm	t4	CF 5 1/2'	1446.00
400mm Nikon	t3.5	CF 9'	1848.00
400mm Canon	t3	CF 8'	1848.00
600mm Nikon	t4	CF 13'	2913.00
600mm Canon	t4.5	CF 27'	1848.00
800mm Canon	t5.6	CF 15'	998.00
1000mm	t5.6	CF 22'	1678.00
1200mm Canon	t8	CF 27'	1848.00
2000mm	t9	CF 30'	1919.00

PANAVISION EQUIPMENT WEEKLY RATE = 3 × DAILY RATE			DAILY (ZAR)
Zoom Lenses			
All Panavision Zoom Lenses are equipped with a silent high-torque motor and include zoom control and cables.			
48 to 550mm (Primo)	t4.5	CF 4' 1"	4873.00
270 to 840mm (Primo)	t4.5	CF 8' 7"	4873.00
40 to 200mm (Cooke)	t4.5	CF 2 1/2'	2331.00
50 to 500mm (Cooke)	t4.5	CF 5 1/2'	4804.00
Special Purpose Lenses			
Anamorphic Slant Focus with Close Focus 90mm	t4.3	CF 17"	1446.00
Wide Angle Distortion 25mm	t2.5	CF 5'	2189.00
Close Focus 55mm	t2.5	CF 10"	1446.00
Insert or Process 100mm	t2.8	CF 4 1/2'	870.00
Macro Panatar 150mm	t3.2	CF 17"	1446.00
Macro Panatar 200mm	t3.2	CF 18"	1446.00
Macro Panatar 150mm	t3.2	CF 29"	1446.00
Lens Accessories			
1.4 x Primo Extender (1 stop loss)			1417.00
2 X Lens Extender (2 stop loss)			305.00
Super Zoom Control			378.00
Inclining Prism (1/4 stop loss , widest spherical - 21mm)			1058.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE

DAILY
(ZAR)

Cooke S4 Lenses			
12mm	T2	cf 9"	2210.00
14mm	T2	cf 9"	2210.00
16mm	T2	cf 9"	2210.00
18mm	T2	cf 9"	2210.00
21mm	T2	cf 9"	2210.00
25mm	T2	cf 9"	2003.00
27mm	T2	cf 10"	2210.00
32mm	T2	cf 12"	2003.00
35mm	T2	cf 12"	2210.00
40mm	T2	cf 16"	2210.00
50mm	T2	cf 20"	2003.00
65mm	T2	cf 27"	2210.00
75mm	T2	cf 30"	2003.00
100mm	T2	cf 36"	2210.00
135mm	T2	cf 30"	2210.00
150mm	T2	cf 42"	2210.00
180mm	T2	cf 51"	2210.00
ARRI Zeiss Master Prime Lens Set			10280.00
25mm	T1.3	cf 8"	
32mm	T1.3	cf 8"	
50mm	T1.3	cf 8"	
75mm	T1.3	cf 8"	
ARRI Zeiss Master Prime Lenses			
16mm	T1.3	cf 8"	2520.00
18mm	T1.3	cf 8"	2520.00
21mm	T1.3	cf 8"	2520.00
27mm	T1.3	cf 8"	2520.00
35mm	T1.3	cf 8"	2520.00
40mm	T1.3	cf 8"	2520.00
65mm	T1.3	cf 8"	2520.00
100mm	T1.3	cf 8"	2520.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE

DAILY
(ZAR)

ARRI Zeiss Ultra Prime Lenses			
8mm 8R	T2.6	cf 12"	2468.00
10mm	T2	cf 12"	2315.00
12mm	T1.9	cf 12"	2315.00
14mm	T1.9	cf 9"	2315.00
16mm	T1.9	cf 9"	1171.00
20mm	T1.9	cf 12"	1171.00
24mm	T1.9	cf 12"	1166.00
28mm	T1.9	cf 12"	1171.00
32mm	T1.9	cf 15"	1166.00
40mm	T1.9	cf 18"	1171.00
50mm	T1.9	cf 24"	1166.00
65mm	T1.9	cf 54"	2468.00
85mm	T1.9	cf 36"	1166.00
100mm	T1.9	cf 36"	1281.00
135mm	T1.9	cf 60"	1281.00
180mm	T1.9	cf 8' 6"	2315.00
Zeiss Standard Speeds Set			1896.00
24mm	T2.1	cf 14"	
32mm	T2.1	cf 24"	
50mm	T2.1	cf 18"	
85mm	T2.1	cf 36"	
Zeiss High Speeds Set			1688.00
25mm	T1.3	cf 14"	
35mm	T1.3	cf 14"	
50mm	T1.3	cf 24"	
85mm	T1.3	cf 36"	
Zeiss Compact Primes (for Red and Canon 5D)			
18mm	T3.6	cf 12"	450.00
21mm	T2.9	cf 10"	450.00
25mm	T2.9	cf 7"	450.00
28mm	T2.1	cf 10"	450.00
35mm	T2.1	cf 12"	450.00
50mm	T2.1	cf 18"	450.00
85mm	T2.1	cf 3'6"	450.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE

DAILY
(ZAR)

Zeiss Lenses			
10mm	T2.1	cf 14"	2095.00
12mm	T2.1	cf 10"	929.00
14mm	T2.0	cf 9"	2095.00
16mm	T2.1	cf 10"	693.00
18mm	T1.3	cf 10"	488.00
20mm	T2.1	cf 8"	641.00
28mm	T2.1	cf 11"	646.00
40mm	T2.1	cf 16"	646.00
65mm	T1.3	cf 28"	840.00
100mm	T2.1	cf 40"	567.00
135mm	T2.1	cf 60"	567.00
180mm	T3.0	cf 60"	630.00
Canon			
200mm	T1.8	cf 9'	1213.00
300/600mm	T2.8/5.6	cf 12'	1087.00
400/800mm	T2.8/5.6	cf 15'	1045.00
Cooke Century 2000 Panchros (Supacookes) Set			2625.00
25mm	T2.3	cf 7"	
32mm	T2.3	cf 7"	
40mm	T2.3	cf 9"	
50mm	T2.3	cf 8"	
75mm	T2.3	cf 16"	
Cooke Century 2000 Panchros (Supacookes)			
18mm	T2.2	cf 9"	525.00
100mm	T2.8	cf 2'6"	525.00
Leica			
180mm	T2	cf 56"	1155.00
Leica Modular Telephoto System, kit includes:			3389.00
280/400mm	T2.8	cf 79"/145"	
400/560mm	T4	cf 83"/155"	
560/800mm	T5.6	cf 84"/155"	
Nikkor			
8mm	T2.8	cf 11"	2163.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE			DAILY (ZAR)
Angenieux			
15-40mm Lightweight 3:1 Zoom	T2.6	cf 24"	6468.00
28-76mm Lightweight 3:1 Zoom	T2.6	cf 24"	6668.00
17-80mm Optimo 5:1 Zoom	T2.2	cf 24"	6888.00
17-102mm Wide Angle 6:1 Zoom	T2.9	cf 30"	2657.00
25-250mm HR 10:1 Zoom	T3.5	cf 66"	2746.00
24-290mm Optimo 12:1 Zoom	T2.8	cf 48"	7277.00
Cooke			
18-100mm Wide Angle Zoom	T3.1	cf 28"	2210.00
20-100mm Varotal 5:1 Zoom	T3.1	cf 28"	1244.00
25-250mm Varotal MKII 10:1 Zoom	T3.9	cf 66"	2478.00
ARRIFLEX			
VP1 16-30mm			2646.00
VP2 29-60mm			2646.00
VP3 55-105mm			2646.00
Century			
150-600mm Series 2000 4:1 Zoom	T5.6	cf 10'	3675.00
Vantage			
150-450mm Hawk Zoom	T2.8	cf 5'6"	POA
Arri Alura Zoom Lenses			
18:80mm Wide Angle Zoom Lens	T2.6		6888.00
45:250mm Telephoto Zoom Lens	T2.6		7277.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE

			DAILY (ZAR)
Arri			
16mm	T2.1	cf 10"	1712.00
24mm	T2.1	cf 6"	1712.00
32mm	T2.1	cf 8"	1712.00
40mm	T2.1	cf 10"	1712.00
50mm	T3	cf 8"	1712.00
100mm	T3	cf 14"	1712.00
200mm	T4.3	cf 23"	1712.00
Moy Leitz			
24mm	T2.8	cf 8"	1365.00
35mm	T1.4	cf 8"	1365.00
50mm	T1.4	cf 8"	1365.00
60mm	T2.8	cf 11"	1365.00
80mm	T1.4	cf 11"	1365.00
90mm	T2	cf 14"	1365.00
100mm	T2.8	cf 15"	1365.00
135mm	T2.8	cf 23"	1365.00
Zeiss			
60mm	T3	cf 11"	1134.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE

DAILY
(ZAR)**Century "Clairmont" Swing Shift**

Enables control over the focus plane for either shallow or extremely deep depth of field. Along with potential for both skewing or correcting of perspective.
A Standard Set is any four lenses from the list below

14mm	T2.8		1229.00
18mm	T2.8		1229.00
20mm	T2.8		1229.00
24mm	T3.5		1229.00
35mm	T2.8		1229.00
45mm	T2.8		1229.00
55mm	T2.8		1229.00
75mm	T2.8		1229.00
90mm	T2.8		1229.00
110mm	T2.8		1229.00
135mm	T4.5		1229.00

ARRI Shift and Tilt Bellows System

The most advanced swing-shift system available allows for unique depth of field control, including manipulating the focus plane for perspective correction.
Extreme Macro functionality with Macro Adapter

24mm	T4		1433.00
45mm	T2.8		1433.00
90mm	T2.8		1433.00
110mm	T2		1433.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE

DAILY
(ZAR)

Hawk Anamorphics V - Series			
(Subject to Freight & Availability)			
25mm	T2.2	cf 42"	POA
30mm	T2.2	cf 33"	POA
35mm	T2.2	cf 30"	POA
40mm	T2.2	cf 30"	POA
50mm	T2.2	cf 24"	POA
60mm	T2.2	cf 24"	POA
75mm	T2.2	cf 24"	POA
100mm	T2.2	cf 42"	POA
120mm	T3.5	cf 17"	POA
135mm	T3	cf 42"	POA
180mm	T3	cf 6' 6"	POA
250mm	T3	cf 6' 6"	POA
V-Zoom 36-230mm	T4	cf 18"	POA
V-Zoom 300-900mm	T4	cf 9' 9"	POA
Hawk Anamorphics C - Series			
40mm	T2.2	cf 42"	POA
50mm	T2.2	cf 42"	POA
60mm	T2.2	cf 42"	POA
75mm	T2.2	cf 42"	POA
100mm	T3	cf 42"	POA
C-Zoom 55-165mm	T4	cf 42"	POA
Zoom Lenses			
Angenieux 34-204mm	T4.2		POA
Angenieux 50-500mm	T4.2		POA
Anamorphic Accessories			
Kish Directors Viewfinder			POA

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE		DAILY (ZAR)
T-Rex Superscope Independent image rotation 0-360° Front lens head tilts 18° from the horizontal Maximum aperture T7.1 (Borescope T5.6) 2.2:1 Integral zoom Macro function Interchangeable lenses PL, BNCR and B4 mounts available Filter holder accepts two 48mm Filters		14380.00
SKATER Scope Compact Snorkel Lens System Adjustable tilt element from -105° to +105° Full 360° unlimited optical image rotation Maximum Aperture T5.6 Macro Function Camera mounts: PL & BNCR Lens mounts: PL, Panavision, Nikon or Leica M		6825.00
Optex Excellence Periscope/Probe System Optex Excellence Periscope Probe System – absolute quality for 35mm and HDTV. Supplied with its own unique prime lenses for use in both periscope and probe configurations. Available in PL,PV and Sony camera lens mounts. Accepts 49mm slot filters.		9975.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE

	DAILY (ZAR)
Lens Control Systems	
Arri Wireless Lens Control System	2410.00
Preston Analogue Microforce	540.00
Preston Digital Microforce	620.00
Oppenheimer Microforce Panbar Adaptor	378.00
Preston FI+Z Lens Control System	2410.00
Preston Digital FI+Z Lens Control System	2940.00
Follow Focuses	
FF-3 Follow Focus	646.00
FF-4 Follow Focus	646.00
LFF-1 Lightweight Follow Focus	662.00
Matteboxes	
LMB-3 4" Lightweight Matte Box	210.00
LMB-5 4" Lightweight Matte Box	441.00
LMB-4 6.6" Lightweight Matte Box	620.00
MB-16 4" Production Matte Box	620.00
MB-14 6.6" Production Matte Box	735.00
MB-19 Mattbox	609.00
MB-16 4 Filter Stage	110.00
MB-14 4 Filter Stage	110.00
MB-16 Tilt Tray Bellows System	310.00
MB-14 Tilt Tray Bellows System	310.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE		DAILY (ZAR)
Full Cover Diopters		
4.5" Circular Diopters Schneider		546.00
6" Round Schneider Close-up Set 1/2-2		704.00
Series 9 Diopters		347.00
Split Diopters		
4.5" Circular Split Diopters Schneider		672.00
6" BDS Diopters 1/4, 1/2, 1 1/2, 2		693.00
Optical Accessories		
50/50 Mirror		2145.00
Low Angle Prism		1058.00
Dual Effects Plate		6305.00
PL 1.4x 35mm Extender		305.00
PL 2x 16mm Extender		305.00
PL 2x 35mm Extender		305.00
Rain Deflectors		
FGV 6" Rain Deflector Kit		1166.00
Spintech Clip On Rain Deflector		714.00
Directors Viewfinders		
ARRI Digital Directors Viewfinder		2300.00
Kish 16mm Directors Viewfinder		546.00
Kish 35mm Anamorphic Directors V/F		546.00
Kish 35mm Directors Viewfinder		546.00
ONE8SIX Directors Viewfinder		546.00
Tewe		84.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE

DAILY
(ZAR)

	DAILY (ZAR)
Arri 16 SR3A (Normal Speed)	3822.00
Standard or Super 16 PL Mount Integral 5-75fps crystal motor Adjustable shutter 90-180° Noise Level : >22dB Temperature Range: -20°C / +50°C (-4°F / +122°F) Camera with 400' Magazine and Battery 7kg/15.4lbs	
Arri 16 SR3A (High Speed)	3985.00
Standard or super 16PL Mount Integral 5-150fps crystal motor Adjustable shutter 90-180° Noise Level : >29dB Temperature Range: -20°C / +50°C (-4°F / +122°F) Camera with 400' Magazine and Battery 7kg/15.4lbs	
Camera Package Kit includes: Camera Body inc. fibre optic viewing screen 2 x 400' Magazines Camera Working Lamp Right Hand Grip, Changing Bag Bridge Plate and Support Bars 2 x Camera Power Cables 3 x 7AH 24v Batteries and Charger 3 x 0.7Ah 24V On Board Batteries and Charger	
SR3 Accessories	
SR3 Integrated Video Assist	3386.00
400' Magazine	473.00
HE-4 Heated Eyecup	331.00
MB-19 Lightweight mattbox	609.00
MB-17 Lightweight mattbox	515.00
S-3 Shoulder Set	814.00
RCU-1 Remote Control Unit	819.00
12v to 24v Converter	446.00
FE-4 Extension Viewfinder & Leveller	494.00
SR Video Optics	378.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE		DAILY (ZAR)
ARRI 416 Plus (Normal Speed)		7345.00
Standard or Super 16 PL Mount Integral 1-75fps crystal motor Adjustable shutter 45-180° Noise Level :<20dB Temperature Range: -20°C / +50°C (-4°F / +122°F) Camera with 400' Magazine and Battery 5.7kg/15.4lbs Camera Package Kit includes: Camera Body inc. fibre optic viewing screen 2 x 400' Magazines Camera Working Lamp Right Hand Grip, Changing Bag Bridge Plate and Support Bars 2 x Camera Power Cables 3 x 7AH 24v Batteries and Charger 3 x OBB-2 On Board Batteries and Charger		
416 Accessories		
416 Integrated Video Assist		4556.00
400' Magazine		578.00
HE-4 Heated Eyecup		330.00
MB-19 Lightweight mattbox		609.00
MB-17 Lightweight mattbox		515.00
S-3 Shoulder Set		814.00
RCU-1 Remote Control Unit		819.00
MEE-1 Medium Extension Viewfinder		746.00
LEE-1 Long Extension Viewfinder		782.00

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 x DAILY RATE

DAILY
(ZAR)

Ikonoskop A-Cam SP-16

1570.00

The World's Smallest Non-Reflex Super-16 Camera
 C-Mount
 Integral motor 6, 10, 12.5, 18, 20, 24, 25, 30, 36, 37.5fps
 160° Fixed Shutter Angle
 9.5mm lens included
 Single Frame capability, Remote on/off
 3" Clip on matte box
 Integral Li-Ion batteries & charger

AATON A-MINIMA - 16mm

POA

The World's Smallest Reflex Super-16 Camera
 PL Mount
 1-32fps with internal Li Batteries
 (50fps with external NiMH Batteries)
 172.8° Fixed Shutter Angle
 Fixed Fibre-optic viewing screen (1.78:1)
 Built In Video Assist
 Noise Level: >29dB
 Camera with 200' Load and Internal Battery 2kg/4.4lbs

 Requires Special 200' Daylight Loads

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE			DAILY (ZAR)
Zeiss High Speed Lens Set			1752.00
9.5mm	T1.3	cf 10"	
12mm	T1.3	cf 8"	
16mm	T1.3	cf 8"	
25mm	T1.3	cf 10"	
Cooke SK4 Designed for Integration with 35mm Cooke S4s			
6mm	T2	cf 8"	1911.00
9.5mm	T2	cf 8"	1911.00
12mm	T2	cf 8"	1911.00
ARRI Zeiss Ultra 16 Designed for Integration with 35mm ARRI Zeiss Ultra Primes			
6mm	T1.3	cf 8"	1911.00
8mm	T1.3	cf 12"	1911.00
9.5mm	T1.3	cf 12"	1911.00
12mm	T1.3	cf 12"	1911.00
14mm	T1.3	cf 12"	1911.00
Optex			
4mm	T1.9	F/Focus	950.00
5.5mm	T1.9	cf 8"	950.00
8mm	T1.9	cf 18"	688.00
Cinar			
7mm Cinar			940.00
Zoom Lenses: Zeiss			
11-110mm with macro facility	T2.2	cf 60"	1103.00
Zoom Lenses: Canon			
6.6-66mm	T2.7	cf 23"	1822.00
7-63mm	T2.6	cf 24"	1491.00
8-64mm	T2.4	cf 24"	1418.00
10.6-180mm	T2.7	cf 3' 4"	1822.00
11-165mm	T2.5	cf 3' 6"	1491.00
Zoom Lenses: Angenieux			
11.5-138mm	T2.5	cf 5'	1460.00

All filters are POA

NON-PANAVISION EQUIPMENT WEEKLY RATE = 4 × DAILY RATE
 PANAVISION EQUIPMENT WEEKLY RATE = 3 × DAILY RATE

Colour Correction

81EF, 81EF.3, 81EF.6, 81EF.9
 85, 85.3, 85.6, 85.9
 FL-D
 LL-D

Black & White

Black & White

Contrast

Low Contrast
 Soft Contrast
 Ultra Contrast

Day For Night

Cool Day For Night
 Day For Night

Diffusion

Black Diffusion FX™
 Classic Soft
 Warm Classic Soft
 Harrison Diffusion
 Pro Mist™
 Warm Pro Mist™
 Pro Mist™ Black
 Warm Black Pro Mist™
 Soft FX™
 Warm Soft FX™

Enhancer

Enhancer Tiffen
 812™

Neutral Density

ND Full Cover
 ND Attenuators/Blenders
 ND Clear Centre Spots
 ND Soft Edge Grads
 ND Hard Edge Grads
 ND IR hot mirror

Nets

Black
 White

Optical Flats

Pola Screens

Polariser
 True Pola Linear
 True Pola Circular
 Warm Pola
 85 Pola
 85B Pola

Sunset

Sunrise Grads
 Sunset Grads

Ultra Violet

Haze
 UV Clear

Fx Solid & Graduated Colours

Antique Suede
 Blue Grads
 Chocolate
 Coral
 Straw
 Tobacco

GRIPS EQUIPMENT WEEKLY RATE = 5 × DAILY RATE		DAILY (ZAR)
Geared Heads		
Super Panahead		1630.00
Panahead Geared Head		1530.00
Panaclear Aux Handles		362.00
Arrihead II		1439.00
Tango Head		767.00
Fluid Heads		
Cartoni Lambda Fluid Head		1129.00
Manfrotto 128RC Mini Video Fluid Head		131.00
O Connor 2060 Dutch Fluid Head		767.00
O Connor 2060 Fluid Head		767.00
O Connor 2575B/C Fluid Head		971.00
O Connor 120EX Fluid Head		1050.00
Ronford 30S Underwater Fluid Head		875.00
Ronford Fluid 7 MK IV Head		599.00
Ronford F2004 Fluid Head		672.00
Sachtler 7+7 Fluid Head		478.00
Sachtler Dutch Head		788.00
Sachtler Studio 18 with tripod		451.00
Weaver Steadman Fluid Head		1339.00
Weaver Steadman 3rd Axis		Included
Tripods		
Ronford Baker Tall & Short Legs		205.00
Metal Spreader		37.00
Rolling Spider		47.00
Sand Spreader		37.00
Hi Hat/Low Boy		58.00
Low Hat		58.00

GRIPS EQUIPMENT WEEKLY RATE = 5 × DAILY RATE		DAILY (ZAR)
Bazookas		
Filmair Bazooka		289.00
Ronford Bazooka		POA
Ladder Pod		
2 meter Incl. 3 way leveller		645.00
3 meter Incl. 3 way leveller		700.00
Mounts		
Scaffold Twin Tube - Moy - Moy/Bowl		237.00
Panther FGV Sliding Ubangi - Travel 27" (68.6cm)		730.00
Ronford Slider		683.00
Miscellaneous		
Low Rocker		79.00
Steadibag		63.00
Mukasey Bag		89.00
Saddle Bag Large		89.00
Saddle Bag Small		89.00
Wedge Plates		
Ronford Quick Release Block		263.00
Low Angle Rocker Plate		75.00
Adjustable Wedge		110.00
3/4 way leveller		225.00

GRIPS EQUIPMENT WEEKLY RATE = 5 × DAILY RATE	DAILY (ZAR)
Chapman Hustler IV Camera Dolly	4494.00
Maximum Camera Mount Height 6' with 12" Riser Minimum Camera Mount Height 2' with 90° Plate 2 x Adjustable Side Platforms 2 x Front Platforms 2 x Standing Boards 2 x Seat Adapters 3", 6" & 12" Riser 16" & 24" Ubangi with 4-Way Leveller Adapter 2 x Seats/Riser/Seat Extension 2 x Push/Carry Handle Power Cable	
Accessories	
Hustler Soft Compound Tyres	483.00
Hustler Pneumatic Tyres	562.00
Hustler Ext. Low Profile Head (Enterprise)	326.00
Hustler Nose Plate (Hammerhead)	326.00
Hustler Nose Seat	189.00
Hustler Low 4-Way Leveller	326.00
Chapman Vibration Isolator	473.00
Chapman Hybrid III	4268.00
Maximum Camera Mount Height 6'1" with 12" Riser Minimum Camera Mount Height 1' with 90° Plate 2 x Side Platforms Front Platform Standing Board & Battery Tray 6" & 12" Riser 16" & 24" Ubangi 2 x Seats/Riser/Seat Extension 2 x Push/Carry Handle Power Cable	
Accessories	
Hybrid Soft Compound Tyres	483.00
Hybrid Pneumatic Tyres	562.00
Chapman Vibration Isolator	473.00

GRIPS EQUIPMENT WEEKLY RATE = 5 × DAILY RATE

DAILY
(ZAR)

	DAILY (ZAR)
Chapman Super PeeWee IV	4494.00
Featuring Additional Round Steering Maximum Camera Mount Height 5 ¹ / ₄ " Minimum Camera Mount Height 7 ¹ / ₂ " (in low mode) 2 x Side Platforms 2 x Upper Support Boards (Right & Left) 2 x Lower Support Boards (Right & Left) 2 x Reat Extension Boards (Right & Left) 2 x Front Platforms (Upper & Lower) MI Board Set (3-pieces) Standing Board 6" & 12" Riser 16" & 24" Ubangi 4 x Lifting Bars 2 x Seats/Seat Risers Power Cable	
Chapman Super PeeWee III+	4157.00
New 4-Way Levelling Head and Stop Valve Maximum Camera Mount Height 5 ¹ / ₄ " Minimum Camera Mount Height 7 ¹ / ₄ " (in low mode) 2 x Side Platforms Front Platform Standing Board Low Mode Adapter Battery Tray 6" & 12" Riser 16" & 24" Ubangi 2 x Seats/Seat Extension Push/Carry Handle and Power Cable	
Accessories	
PeeWee Soft Compound Tyres	452.00
PeeWee Pneumatic Tyres	525.00
Chapman Vibration Isolator	473.00

GRIPS EQUIPMENT WEEKLY RATE = 5 × DAILY RATE		DAILY (ZAR)
Fisher 10 Dolly		4268.00
Maximum Camera Mount Height 5'25/8" Minimum Camera Mount Height with Low Head 31/8" 2 x Front Boards, Knee Bumper 2 x High Side Boards 2 x Low Side Boards Battery Tray 6" & 12" Riser 10" & 24" Ubangi Moy/ARRI Adaptor 2x Seats/Riser/Extension 2 x Push/Carry Handles, 2 x Front Carry Handles Power Cable		
Fisher 11 Dolly		4158.00
Maximum Camera Mount Height 4'31/8" Minimum Camera Mount Height with Low Head 3" 2 x Low Side Boards, Knee Bumper 2 x Front Boards with Bridge 2 x High Side Boards 2 x Diving Boards Battery Tray 6" & 12" Riser 10" & 24" Ubangi Moy/ARRI Adaptor 2 x Seats/Riser/Extension 2 x Push/Carry Handles, 2 x Front Carry Handles Power Cable		
Accessories		
Fisher Rotating Offset		347.00
Fisher Soft Compound Tyres		483.00
Speed Wheels		680.00

GRIPS EQUIPMENT WEEKLY RATE = 5 × DAILY RATE		DAILY (ZAR)
Flat Bed Dolly		
Squirrel Dolly (Lightweight and Low-profile)		551.00
Matthew's Doorway Dolly		525.00
Desert Dolly		
Wildcat (Rough Terrain Dolly)		641.00
Table Top Dolly		
P+S Technik SKATER® Mini		719.00
Other Dollies		
Scaffold Tube Dolly incl 1m, 2m & 3m Pipe		310.00
Stabilization		
Chapman Super Vibration Isolator Midi		2625.00
Chapman Super Vibration Isolator Mini		2625.00
Chapman Vibration Isolator		473.00
Iso-Hat		367.00

GRIPS EQUIPMENT WEEKLY RATE = 5 × DAILY RATE		DAILY (ZAR)
JIB ARMS		
Panther Vario Jib		882.00
Meerkat Mini Jib		714.00
Filmair Predator Modular Jib Arm		3371.00
Fisher 22 Jib Arm Max height on Centre Mount 3.5m Maximum reach 2.6m Payload 175lbs (80kg)		2305.00
Fisher CRA4 Cross Arm (For Fisher 22) 4' Cross Arm for Multi-axis moves		620.00
Fisher 23 Jib Arm Modular Jib Arm (7 Versions) Maximum mount height 1.3m-6.3m Maximum reach 1.8m-6.4m Payload 200lbs-131lbs (91kg-59kg)		3313.00
Jib Arm Mounting Platforms		
Chapman PeeWee High Post Kit		620.00
Fisher Center Mount		620.00

GRIPS EQUIPMENT WEEKLY RATE = 5 × DAILY RATE	DAILY (ZAR)
<p>Giraffe Classic Crane - Full Kit</p> <p>Remote Head Maximum lens height 9.5m Maximum reach 9.6m Payload 220lbs (100kg)</p> <p>Riding Crane For 1 Crew Maximum lens height 7.5m Maximum reach 6.7m Payload 350lbs (160kg)</p> <p>Riding Crane For 2 Crew Maximum lens height 6.15m Maximum reach 5.1m Payload 500lbs (225kg)</p>	4190.00
<p>Giraffe Long Ranger - Full kit</p> <p>Remote Head Maximum lens height 13.5m Maximum reach 12.72m Payload 200lbs (90kg)</p> <p>Riding Crane For 2 Crew Maximum lens height 7.58m Maximum reach 6.15m Payload 550lbs (250kg)</p>	7680.00
<p>Giraffe Compact</p> <p>Remote Head Maximum lens height 7.5m Maximum reach 7.1m Payload 200lbs (90kg)</p>	3105.00
<p>Crane Trailers (Classic/Longranger)</p>	698.00

GRIPS EQUIPMENT WEEKLY RATE = 5 × DAILY RATE		DAILY (ZAR)
SuperTechno 15 with Z-Head		10500.00
Maximum lens height 4.57m Maximum reach 4.15m Telescopic Range 3.12m Crane Weight 1153lbs (523kg) Payload 80lbs (35kg)		
SuperTechno 30 - with Z-Head		17950.00
Maximum lens height 9.2m Maximum reach 9.55m Telescopic Range 6.9m Crane Weight 2640lbs (1200kg) Payload 80lbs (35kg)		
SuperTechno 50 - with Z-Head		37000.00
Maximum lens height 15.11m Maximum reach 14.75m Telescopic Range 11.4m Crane Weight 5100lbs (2300kg) Payload 80lbs (35kg)		
Technocrane cacesories and logistics		
Technocrane Tracks		210.00
8t Truck for Technocranes (Excl Driver and Fuel)		2100.00

GRIPS EQUIPMENT WEEKLY RATE = 5 × DAILY RATE		DAILY (ZAR)
Aluminium - Straight - Dolly Track		
1.22m		95.00
1.83m		142.00
2.44m		158.00
Stainless Steel - Straight - Dolly Track		
2.44m (PV)		158.00
2.44m (Ronford)		165.00
Aluminium - Curved - Dolly Track		
45° Curve (1 of 8) 6m outside diameter		158.00
90° Curve (1 of 5) 3.66m outside diameter (Tight)		158.00
90° Curve (1 of 4) 4.2m outside diameter (Smooth)		158.00
Stainless Steel - Curved - Dolly Track		
45° Curve (1 of 8) 6.2m outside diameter (Ronford)		158.00
Giraffe Crane Track		
Giraffe Classic Crane Track		173.00
Giraffe Longranger Track		210.00
Aluminium Tracking Frame including Tracking Board 1.22m x 1.68m		210.00
Rigs		
Bungee Rig		536.00
12" Super Limpet Mount		614.00
Mini-Limpet		58.00
Universal Car Rig		630.00
Filmair Mo-Kit		630.00
Miscellaneous		
Inclinometer - Digital		404.00

GRIPS EQUIPMENT WEEKLY RATE = 5 × DAILY RATE	DAILY (ZAR)
Revolver Motion Control System	11944.00
<p>Portable and lightweight motion control system integrating with standard equipment (e.g. ARRIHead, Preston Fl+Z, 435) piloted by a Compaq iPAQ with custom designed intelligent hand wheels.</p> <p>Revolver Package includes Hand-Wheels Compaq iPAQ Lens Control Box Communication Hub Excluding Geared Head, Preston and Camera</p> <p>All hires require the presence of a PANAVISION technician</p>	
Revolver Accessories	
Remote Module	POA
Track Axis including 5 Lengths of Steel Track	POA
Revolver Technician on Set	
All hires require the presence of a PANAVISION technician	
Gearcheck day	POA
Travel Day	POA
Shoot Day	POA
Technician Vehicle	POA

Rates comply to a normal 10 hour Commercial day, subject to Standard overtime rates. Rates are adjusted accordingly for Sundays and Public Holidays.

All airtickets, accommodation, transport and per diems are to be covered by production for Away Shoots

GRIPS EQUIPMENT WEEKLY RATE = 5 × DAILY RATE

	DAILY (ZAR)
Scorpio Stabilised (With Lens Control)	
Electronically stabilised 3 x axis head, with Scorpio LCS	16170.00
Scorpio Remote Pan Bar	1748.00
Powerpod 2000 (With lens control)	
2 Axis	9823.00
3 Axis	15020.00
Remote Head Technician	
Gearcheck day	POA
Shoot Day	POA
Technician Vehicle	POA

Rates comply to a normal 10 hour Commercial day, subject to Standard overtime rates. Rates are adjusted accordingly for Sundays and Public Holidays

All airtickets, accommodation, transport and per diems are to be covered by production for Away Shoots

	DAILY (ZAR)
Hydroflex 435 Deep Water Housing	10768.00
Houses 435 with IVS and 400' Mag Zeiss, Cooke & Panavision lens friendly Depth Rated To 150 ft	
Underwater Monitor	693.00
Hydroflex Arri 35-3 Deep Water Housing	8117.00
Houses Arri 35-3 with CE base and 400' Mag Hydroflex B&W Video Assist Zeiss, Cooke & Panavision lens friendly Depth Rated To 150 ft	
Underwater Monitor	693.00
Hydroflex Splash Bags	
HydroFlex 435 Prime Lens Splash Bag	2384.00
HydroFlex 435 Zoom Lens Splash Bag	2384.00
Accessories	
Underwater Communications Kit	1595.00
Hydroflex Underwater Lightmeter and Housing	320.00
Scubacam	
435 Scubacam	4505.00
Seahorse 5D Housing	7200.00
Underwater housing for 5D camera with under water operators monitor and ability to supply S/D video assist image to surface.	
Housing configuration included: 5D camera housing, Zeiss 24mm, 28mm and 36mm Primes, Lens gearing and 2X dome ports. Under water operator's monitor.	
Underwater Housing for P/Cam with remote control	1260.00
Underwater Housing for RED camera	6320.00

VIDEO PLAYBACK EQUIPMENT WEEKLY RATE = 4 × DAILY RATE		DAILY (ZAR)
Sony		
DV Clamshell		1381.00
HDV Clamshell		1617.00
Fast Forward Video		
Omega Deck		1874.00
Vision Mixers		
MX-12 Digital Mixer		425.00
Monitors		
6" Onboard LCD Monitor		494.00
9" CRT Colour Monitor		609.00
15" TFF Screen		605.00

VIDEO PLAYBACK EQUIPMENT WEEKLY RATE = 4 × DAILY RATE		DAILY (ZAR)
VT Accessories		
Video Distribution Amplifier 5 Way (VDA)		160.00
Marell Microwave Video Link 1.3Gig		POA
Transvideo Titan Rx/Tx		POA
Transvideo Anamorphic Converter		683.00
Location Stand		37.00
Magliner Junior		404.00
Magliner Senior		572.00
VT Trolley		446.00

Priced in USD	ROLL (USD)
35mm	
400' 5201 Kodak Vision 2 50D	\$268.00
400' 5207 Kodak Vision 3 250D	\$268.00
400' 5212 Kodak Vision 2 100T	POA
400' 5213 Kodak Vision 2 200T	\$268.00
400' 5219 Kodak Vision 3 500T	\$268.00
400' 5229 Kodak Vision 2 Expression 500T	POA
400' 5222 Eastman Double-X 200T/250D	POA
NOTE: 1000' Rolls are Special Order Items	\$670.00
16mm	
400' 7201 Kodak Vision 2 50D	\$159.00
400' 7207 Kodak Vision 3 250D	\$159.00
400' 7212 Kodak Vision 2 100T	POA
400' 7213 Kodak Vision 2 200T	\$159.00
400' 7219 Kodak Vision 3 500T	\$159.00
400' 7229 Kodak Vision 2 Expression 500T	POA
400' 7222 Eastman Double-X 200T/250D	POA

	DAILY (ZAR)
PANAVISION Optical/Camera/Electronic Technician Rates	
Per hour	470.00
PANAVISION Mechanical/Engineering Technician Rates	
Per hour	335.00
After Hours Call Out (Normal Hours: 08:00 - 18:00 hrs)	440.00
Engineering	
Historically we have been renowned for our assistance in designing and manufacturing rigs to facilitate specific shots. We are happy to build and design any such rigs or tools as and when required. Please use the rates above as a guideline, all works will be billed for Pro Rata	
PANAVISION On-Set Technicians (Per 10hr day - normal overtime rates apply)	
Grips/Camera/Underwater technician	2300.00
Digital Imaging Technician (DiT)	2500.00
Remote Head Technician - see "Remote Heads"	
Photosonics Technician - see "Photosonics"	
Deliveries and Collections	
(Localised) Within 30 kms radius	350.00
(Long-Distance) Within 60 kms radius	615.00
Heavy Duty Deliveries and Collections - Cranes, etc.	
(Localised) Within 30 kms radius	525.00
(Long-Distance) Within 60 kms radius	1060.00
Driver per hour	40.00
Driver per 10 hr day - normal overtime rates apply	390.00
Vehicle per Km (AA - Based Rates)	
1.6 Ltr Vehicle	2.83
2.5 Ltr Vehicle	4.36
Above with trailer	4.80
3.0 Ltr Vehicle	4.99
Above with trailer	5.49

Panavision (SA) (Pty) Limited General Terms And Conditions

Definitions

- 1.1 "The Company" means PANAVISION (SA) (Pty) Limited of Unit D1, Sanlam Business Park, Racecourse Road, Milnerton, 7435 Cape Town, South Africa and its successors and assigns
- 1.2 "The Customer" means the person, (Including his successors, personal representatives and permitted assignees.) hiring equipment or purchasing goods or services from the company.
- 1.3 "The Equipment" means the equipment and all articles, materials, vehicles hired out or supplied by the Company to the Customer or any replacements or substitutes and all accessories and additions made thereto
- 1.4 "Company Personnel" means the employees, agents, sub-contractors or other representatives of the Company whose services are employed by the Customer whether in conjunction with the hire of equipment or the sale or purchase of goods or otherwise
- 1.5 "The Contract" means the agreement between the Company and the Customer for the hire of the Equipment or Company Personnel or the sale and purchase of goods in accordance with and incorporating these Terms & Conditions

Acceptance of Terms and Conditions

- 2 Unless otherwise agreed in writing by a director of the Company any order by the Customer for the supply of Equipment and/or Company Personnel and/or Goods shall be construed as an express acceptance of these Terms and Conditions which shall prevail to the exclusion of all others.

Hire Period for Equipment/ Duration

- 3.2 The Company will use all reasonable endeavours to have the Equipment available for delivery or collection on the date requested by the Customer at the time of order but the Company shall not incur any liability whatsoever in the event of any delay.
- 3.3 In the event that the equipment is lost, damaged or destroyed, the period in respect of which a hire charge shall be payable shall continue until such time as the equipment is recovered and returned to the company or until such time as the equipment is repaired and available for hire (in the case of damage) or until such time as the replacement equipment is available for hire (in the case of equipment replacement) or the replacement value has been paid to the company.
- 3.4 If the customer, following the commencement of the hire, cancels it or seeks to reduce its requirement for services or equipment, the company reserves the right to charge the customer at sum which reflect the cost of the company entering into the agreement and preparing for the supply of the equipment or services.

Rates and Payment

- 4.1 During the Hire Period and (without prejudice to any termination of the Contract and any consequent rights of the Company) until redelivery of the Equipment to the Company, the Equipment shall (subject to these Terms and Conditions) be let and hired at the rates set out in the Company's list of hire rates current at the commencement of the Hire Period - copies of which are available on request. The rates are quoted and all charges are payable in South African Rand
- 4.2 The Customer shall pay hire charges weekly in advance and the charges for the initial week or part of a week are due immediately prior to the date of the proposed commencement of the Hire Period
- 4.3 The rates and charges in the price list are subject to increase by the Company to cover variations in cost to the Company of goods components materials labour packing loading carriage and insurances
- 4.4 Cancellation of booked or reserved equipment and/or services within 24 hours of the time specified for delivery or collection by the Hirer, will incur a cancellation charge up to the maximum of 50% of the rental fee for the equipment concerned.
- 4.5 All sums due from the Customer to the Company under the Contract shall be increased to include Value Added

- Tax (or any similar or replacement tax) at the rate for the time being in force
- 4.6 The Customer shall be exclusively responsible for all customs and other duties and all related costs and expenses payable on any international transaction.
 - 4.7 The Customer may in certain circumstances and at the Company's discretion become entitled to a discount on the Equipment hire charges payable under the Contract. Any such discount shall be strictly conditional on the Customer complying with the Company's payment terms and the Company reserves the right without notice to revoke it any time prior to receiving payment in full.
 - 4.8 The Customer shall pay interest at 4 per cent p.a. above the Prime Lending rate for the time being as defined by the SA Reserve Bank on all sums which may be due from the Customer to the Company under the Contract and remain unpaid, such interest being calculated from the due date until actual payment compounded quarterly and payable as well after as before any judgment obtained in respect thereof.
 - 4.9 For so long as there are any sums due to the Company from the Customer under any contract which remain unpaid the property of the Customer then in or later coming into the custody possession or control of the Company shall be subject to a lien in favour of the Company for such unpaid sums.
 - 4.10. All payments shall be made without deduction and free of bank charges or any other charges to the company at the company's place of business or to the company's bank account.
 - 4.11 Voided Payments - Any payment made by or on behalf of a customer which is later voided by the application of any statutory provision shall be deemed not to discharge the Customer's obligations to the Company and, in such an event, the parties are to be restored to rights and obligations which each respectively would have had if the payment had not been made.
 - 4.12 As long as the contract remains in force the customer shall not be entitled to withhold any payment for any reason whatsoever and in the event of any dispute arising between the parties, the customer shall, pending settlement of or a decision in such dispute, continue to pay all amount on the due dates. Should the customer at any time fail to pay by the due dates, the company reserves the right, without prejudice, to any other rights available to it, to recover such amounts.
 - 4.13 Queries on invoices must be raised within 10 days from the date of origination of the invoice.
 - 4.14 Hire charges or any other charges quoted in US Dollars or any other foreign currency will be converted to Rands by the company at the ruling rates at the time of invoicing for equipment, and at the agreed rates as determined by Kodak from time-to-time for the payment of Kodak filmstock.
 - 4.15 Any dates quoted for the supply of or delivery of equipment, services or goods are approximate only and the Company shall not be liable for any delay in the delivery how so ever caused. Time is not of essence when referred to in any contract or correspondence from the Company.

Inspection and Condition

- 5.1 The Customer shall inspect and satisfy itself as to the condition and suitability of the Equipment before it is accepted by the Customer and the acceptance of delivery or use of the Equipment (whichever is the earlier) by or on behalf of the Customer shall be conclusive evidence that the Equipment is in satisfactory condition good working order and properly maintained at the date of such acceptance.
- 5.2 In instances where the equipment and / or goods are to be delivered to the Customer, Delivery - including for the purposes of risk loss - of the equipment to the customer shall be deemed to have taken place when the equipment is placed on a vehicle or with a carrier which is to take it from the Company to the location as specified by the Customer. Notwithstanding the foregoing, in the event that the Customer, its employees, agents, contractors or representatives test and or prep the Equipment at the Company's premises, the Customer shall bear all risk with respect to any damage to the Equipment or any liability caused as a result of the actions or omissions of the Customer, its employees, contractors or agents during such testing or prep.
- 5.3 The Customer is responsible for returning the Equipment at the end of the Hire Period in the same condition it was in at the commencement of the Hire Period. The customer shall make good to the Company all and any loss suffered as a result of loss or damage to the Equipment of whatsoever kind and from whatsoever cause and the lesser of the full replacement cost of the Equipment or of reinstating the Equipment to the condition

it was in at the commencement of the Hire Period and (without limitation to the foregoing) the Customer shall pay hire charges for the period during which the Equipment (or its replacement) is unavailable for hire as a result of such loss or damage.

Insurance

- 6.1 The Customer shall (without prejudice to the liability of the Customer to the Company) keep the Equipment insured for its full replacement value throughout the Hire Period against all risks including third party risks loss or damage by fire theft (whether or not involving forcible or violent entry or exit to premises) and other risks usually covered by comprehensive insurance of products of the type of the Equipment.
- 6.2 The Customer shall in addition (and without prejudice to the liability of the Customer to the Company) take out and maintain insurance against loss, damage or liability arising in connection with the use or storage of the Equipment and/or loss due to breakdown, accident damage or delay and/or against loss damage or liability arising in connection with acts, omissions or default of Company Personnel in carrying out orders incidental to their duties. Under the Contract such insurance to be for such sum as is stipulated by the Company or in the absence of such stipulation for a minimum of R12 million for public or product liability in respect of one occurrence. Additionally the insurance provided by the Customer must include an extension to include hire charges incurred on lost or damaged equipment whilst it is being replaced or repaired.
- 6.3 The Customer shall in respect of such insurance, produce to the Company on demand a current insurance policy and a receipt for the last premium paid. Customers agree to inform its nominated insurers where any equipment may be subjected to abnormal or hazardous conditions or possible damage by foreign materials such as salt, water, dust, or sand so that the full and appropriate insurance cover may be effected.
- 6.4 Such insurance shall be free from unreasonable restrictions or excess and shall (if the Company so elects) be in the joint names of the Company and the Customer and shall be with a reputable insurance company or companies who shall be notified that the Equipment is on hire from the Company.
- 6.5 The Company shall itself be entitled (but not obliged) at any time and from time to time to effect - at the expense of the Customer - insurance against all or any of the contingencies above referred to and against any other contingency which the Company may in its absolute discretion decide.
- 6.6 The Customer shall not use or allow the Equipment to be used for any purpose or by any person not permitted by the terms and conditions of the policy of insurance (by whomsoever effected) and shall not do or allow any act or thing whereby such insurance may be invalidated. The Customer shall indemnify the Company against all loss damage or liability what-so-ever or where-so-ever not recoverable under the policy of insurance.
- 6.7 Notwithstanding anything else in section 6 - Insurance - the Customer shall remain primarily liable to the Company pursuant to the provisions mentioned in this section and the Company may enforce its remedies hereunder directly against the Customer without proceeding against the insurer.
- 6.8 The Customer shall (within 24 hours of the occurrence) give written notice to the Company of any occurrence which will or may give rise to a claim being made on any insurance pursuant to this condition. The Customer shall not compromise any claim without the consent of the Company, and shall allow the Company to take over the conduct of negotiations (except in relation to claims of the Customer for personal injuries, loss of use of the Equipment, or loss or damage to the property of the Customer unconnected with the Equipment) and shall at the expense of the Customer take such proceedings (in the sole name of the Customer or jointly with the Company) as the Company shall direct, holding all sums recovered, together with any monies received by the Customer under its policy of insurance, on trust for the Company and paying or applying the same as the Company directs and as herein provided.

Limitation of Liabilities and Indemnities

- 7.1 The Company shall have no liability under or arising out of breach of or negligence in connection with the Contract either to the Customer or to any other person, firm or company in respect of any claim howsoever arising

- in connection with the acquisition, use, operation or possession of the Equipment or the acts, omissions or default of Company Personnel including (without limitation) any claim for consequential loss or consequential damage other than liability (if any) of the Company for death or personal injury arising out of negligence on the part of the Company.
- 7.2 the customer expressly acknowledges and agrees that the company (and any master lessor of the equipment, including but not limited to Technocrane s.R.O) shall not be liable for any indirect, incidental, special, consequential or exemplary damages, including, without limitation, damages for loss of profits, use, or other losses resulting from the fitness, quality, design, condition, repair, merchantability, functioning, performance or malfunctioning of the equipment , or of its material or workmanship.
 - 7.3 The Customer shall indemnify the Company against all claims or actions by and/or loss or damage to any other person, firm, company or property directly or indirectly connected with the acquisition, use, operation or possession of the Equipment whether such claim, action, loss or damage arises from breach of contract or of third party rights or from the negligence of the Company, its employees, suppliers, subcontractors or agents or otherwise and such indemnity shall continue in force in relation to the subject matter of the Contract notwithstanding that the parties remaining obligated under the Contract shall have been discharged or otherwise terminated.
 - 7.4 The Company will not be liable for any loss suffered by the Customer as a result of trade disputes, difficulties in obtaining Equipment or components from suppliers, or manufacturers or anything otherwise outside the control of the Company.
 - 7.5 The Company will not be liable for damage to the Equipment after delivery to the Customer or to a carrier nominated by the Customer or to any person acting under authority of the Customer either expressed or implied or for any damage to Equipment caused by any delay in delivery, adverse weather conditions or unsuitable storage after the Equipment has left the premises of the Company.
 - 7.6 In no circumstances shall the liability of the Company to the Customer (under the Contract or otherwise) exceed the invoice value of the Contract to the Company.
 - 7.7 Specifically regarding capture and storage of data on DIGITAL equipment, including digital photographic equipment, equipment using “ spinning disc “ or similar technology and all data storage and capture apparatus used in conjunction therewith, the Company shall assume no liability or responsibility, whether direct or indirect, consequential or otherwise, for any loss or damage to the integrity of such data, including that the Company shall not be liable or responsible for recreating all or any portion of any data in the event of data loss or data corruption if loss, damage or the integrity of the data is effected.
 - 7.8 The Company shall not be liable for the loss of any profits or contracts or any other indirect or consequential loss howsoever caused. This includes, but is not limited to, instances where electronic data, including transcoded files, do not render the results as required, expected, stipulated or contracted for by the Customer or its agents or any third party, either within the time periods required or at all.

Termination of Hire and Repossession

- 8.1 If the Customer shall fail to pay any sum payable under the Contract (or under any other agreement between the Company, or any associated company of the Company, and the Customer) when due (whether demanded or not) or shall commit a breach of the other terms and conditions whether express or implied of the Contract (or of the terms and conditions of any such agreement as aforesaid) or shall do or allow to be done any act or thing which in the opinion of the Company may prejudice or jeopardise the Company's rights in the Equipment or any part thereof or may in the opinion of the Company affect the Customer's creditworthiness (including, without limitation, the service on the Company of any legal proceedings), then in each and every such case the Customer shall be deemed to have repudiated the Contract and the Company may thereupon or at any time within 3 months thereafter forthwith terminate the leasing constituted by the Contract.
- 8.2 If any of the following events shall occur, namely:
 - 8.3.1 if any distress, execution or other legal process shall be levied on or against the Equipment or any

- part thereof or against any premises where the same may be or against any of the Customer's goods or other property or the Customer shall permit any judgment against it to remain unsatisfied for 7 days; or
- 8.3.2 if the Customer, being an individual, shall die, shall suffer an interim order (within the meaning of the Insolvency Act 1986) to be made against him or enter into a voluntary arrangement or suffer the making of a statutory demand or the presentation of a petition for a bankruptcy order; or
- 8.3.3 if the Customer, being a body corporate, shall enter into any liquidation, shall call any meeting of its creditors or shall have a receiver or receiver manager of all or any of its undertaking or assets appointed, or shall suffer the appointment or the presentation of a petition for the appointment of an Administrator under the provisions of Part II of the Insolvency Act 1986, or shall be deemed by virtue of S123 of the Insolvency Act 1986 to be unable to pay its debts. Then in each and every such case the hire constituted by the Contract shall ipso facto and without notice terminate and no payment subsequently accepted by the Company with or without knowledge of such termination shall in any way prejudice or affect the operation of this clause.
- 8.3 The Customer shall upon termination under clauses 8.1 or 8.2 above, pay to the Company all arrears of hire charge then due and all other sums accrued due and unpaid at the date of termination, together with interest thereon payable under clause 4.7 hereof; and the cost of all repairs and/or replacements required as at the date of termination; and compensation for the loss suffered by the Company as a result of such termination, such loss being determined by the Company having regard to all relevant circumstances; and any other sums which are or become due to the Company or to which the Company is entitled by way of damages.
- 8.4 The termination of the hire constituted by the Contract shall not affect any rights of the Company or liabilities of the Customer subsisting at the date of termination.
- 8.5 On termination of the hire or on expiry of the Hire Period, the Customer shall no longer be in possession of the Equipment with the Company's consent and shall (unless otherwise agreed with the Company) forthwith return the Equipment to the Company at such address as the Company may direct and at the Customer's expense and risk. Without prejudice to the foregoing or to the Company's claim for any arrears of hire charge or damages for any breach by the Customer of the Contract or any other rights hereunder, the Company or its authorised representatives may at any time after such termination or expiry of the Hire Period without notice, retake possession of the Equipment and for such purpose enter upon any premises belonging to or in the occupation or control of the Customer or any premises where the Equipment is stored and the Customer shall be responsible for all costs, charges and expenses so incurred in retaking possession of the Equipment. The Customer shall also bear the reasonable costs incurred by the Company at any time in ascertaining the whereabouts of the Equipment and/or the Customer.

Customer's Duties

- 9.1 During the period of the Contract the Customer shall:
- 9.1.1 keep the Equipment in its custody and control and shall not sell, loan, assign, pledge, encumber, or part with possession of or suffer any lien to be created over the Equipment or any part thereof (unless otherwise agreed in writing by the Company);
- 9.1.2 ensure that the Equipment is used in a skilful and proper manner and only by persons having the appropriate qualifications and experience and who are familiar with the Equipment and not on any abnormal or hazardous assignment;
- 9.1.3 take proper care of the Equipment and ensure that it is properly stored and protected from interference and damage from any source whatsoever including inter alia the effect of the elements and interference from strangers.
- 9.1.4 not take or allow any of the Equipment to be taken out of the borders of South Africa without the prior written authority of the Company and in the event of that authority being given only on such terms as the Company deems fit.
- 9.1.5 may examine and test the equipment at the time of rental, the company will provide assistance in this

regard, however the company does not guarantee, assume responsibility, or make any representation for the performance or results of the equipment. The customer acknowledges that the company has no particular knowledge of the customer's specific requirements and although the company is available to advise the customer on selection and use of the equipment, the customer bears full responsibility for its correct choice and use of equipment.

- 9.1.6 may not sub-hire any equipment to a third party without the express permission of the company and the hirer may not alter the packaging, packing arrangements, or alter or remove the labelling of the equipment in any way whatsoever.

Replacement and Repairs

- 10.1 The Customer shall at all reasonable times permit the Company and its agents access to the Equipment to inspect, test, adjust, repair, alter or replace the same.
- 10.2 If at any time during the period of the Contract the Equipment or any part thereof is in need of adjustment or repair or if there are any accidents or incidents involving the Equipment or any part thereof then:
- 10.2.1 the Customer shall forthwith (at whatever time of night or day) give notice to the Company by telephone followed by confirmation in writing to be received by the Company within five days.
- 10.2.2 in the case of adjustment or repair for which the company is responsible, the Company shall either carry out the necessary adjustment or repair on site or at its discretion shall arrange for the removal of the Equipment or part or parts thereof to the Company's premises for adjustment or repair.
- 10.2.3 in the event of the Company removing the Equipment or any part thereof then the Company may at its option adjust or repair or redeliver the Equipment or such part or parts thereof or determine this Contract forthwith in relation to the Equipment or part thereof or the Company may replace the Equipment or such part or parts thereof in which case the Contract shall continue as if the substituted product or such part or parts had been included in the subject matter of the Contract.
- 10.2.4 in the case of adjustment, repair or substitution the Company may at its option apply new hire rates current at the date of completion of the adjustment, repair or substitution in place of those set out in the list of rates current at the date of the Contract in respect of any adjusted repaired or substituted product as from the date of such completion.
- 10.3 If the Equipment's condition results in damage or the need for adjustment or repair to the whole or any part (other than where due to fair wear and tear) then:
- 10.3.1 the Customer shall (in addition to its other liabilities set out in the Contract) be liable for all costs of inspection, loading, unloading and transport and other labour costs and replacement parts or other materials in connection with the carrying out of the adjustments or repair the removal of the Equipment or any part or parts thereof and the redelivery thereof or any substitute thereof and for the avoidance of doubt should the Customer request that any repair be carried out on location by Company Personnel then all additional labour costs and all other expenses (including travel and accommodation) shall be paid by the Customer.
- 10.3.2 hire charges shall continue to be payable as if the Equipment had not been in need of adjustment or repair.

Vehicles

- 11.1 Where the Equipment hired includes any vehicle or vehicles ("the Vehicles") the provisions of this condition shall apply.
- 11.2 The Customer may use the Vehicles for the storage and transportation of the Company's equipment only. The Vehicles are not to be used, and the Customer will not permit them to be used, for any purposes for which they are not expressly designed.
- 11.3 The Customer agrees that it will not:
- 11.3.1 without the prior written consent of the Company effect any mechanical or other modification to the Vehicles, make any alterations or additions, fit any towing equipment or other accessories or non-

- standard tyres, and any such additions alterations or modified parts which may be made (whether with or without consent) shall be made at the cost of the Customer and shall become part of the Vehicles and shall belong to the Company.
- 11.3.2 remove or interfere with any identification marks or plates affixed to the Vehicles nor attempt or purport to do so nor permit the same or deface the paintwork or bodywork of the Vehicles nor add or erect any painting, sign writing, lettering, or advertising to or on the Vehicles.
- 11.4 The Customer shall during the continuance of the Contract:
- 11.4.1 ensure that the Vehicles are operated properly and safely by drivers who at all times hold valid and current driving licences in the appropriate classes;
 - 11.4.2 indemnify the Company against all fines, penalties and liabilities imposed on the Company or arising in respect of any non-compliance or contravention of any transport, traffic or other law or regulation, together with any cost or expense relating thereto incurred by the Customer;
 - 11.4.3 not use or permit the Vehicles to be used or operated in a manner contrary to any statutory provision or regulation or in any way contrary to law, having regard in particular (but without prejudice to the generality of the foregoing) to the regulations affecting maintenance and usage of tyres, tachometers and drivers' hours.
 - 11.4.4 The Customer shall pay for the mileage travelled by the Vehicles at the rate charged by the Company from time to time in respect of such type of vehicle. Fuel and lubricants shall be paid for as used at the Company's rates then current.

Services of Company Personnel

- 12.1 During any period when the services of Company Personnel are employed by the Customer then such Company Personnel shall be deemed to be the servants or agents of the Customer and the Customer shall be responsible for and shall indemnify and keep indemnified the Company against:
- 12.1.1 The compliance with all health and safety legislation in relation to the services performed by the Company Personnel and the place and method of work and in particular (but without limitation) the Customer shall ensure that (a) all Company Personnel working at heights in excess of 2 metres (without guardrails or equivalent protection) or 15 metres (in any event) shall wear safety harnesses which shall be provided by the Customer; (b) drivers of vehicles shall not exceed the maximum hours allowed by statute the Customer paying for a replacement driver and all associated expenses as necessary and the Customer shall provide such facilities and locations as shall enable the Company to comply with all and any similar legislation and regulations which are applicable.
 - 12.1.2 all claims costs expenses proceedings or demands made by a third party in connection with or arising from any acts omissions or default of Company Personnel
 - 12.1.3 all claims costs expenses proceedings or demands made by Company Personnel in connection with or arising from any act omission or default of the Customer under the Contract or otherwise,
- 12.2 The rates applicable to the hire of the services of Company Personnel will be those set out in the current Equipment Hire Catalogue which is available upon request and which is subject to variation from time to time.
- 12.3 The period for the hire of services of Company Personnel shall (unless terminated in accordance with these Conditions) continue until the termination date agreed between the Company and the Customer or, if later, the date on which the said services are actually terminated.

Sale of Goods

- 13.1 The provisions of this condition shall apply to all contracts for the sale of consumables or other goods ("Goods") by the Company to the Customer whether such sale is made in conjunction with the hire of Equipment or Company Personnel or otherwise.
- 13.2 The price payable by the Customer shall be the Company's price for such goods current from time to time which is stated exclusive of value added tax.
- 13.3 All implied terms, conditions and warranties relating to the quality or fitness for purpose of the Goods are

excluded.

- 13.4 Delivery of the Goods shall be made at the Company's address. Risk in the Goods shall pass to the Customer upon such delivery taking place. The Customer shall be deemed to have accepted the Goods immediately upon delivery/collection. After acceptance the Customer shall not be entitled to reject Goods which are not in accordance with the Contract. Where the Customer rejects any Goods then the Customer shall have no further rights whatever in respect of such Goods or the failure by the Company to supply goods which conform to the Contract.

Credits

- 14 The Customer acknowledges and agrees that its obligations with respect to Panavision credits shall be governed by the terms of the Panavision Credit Memorandum, a copy of which is freely available upon request.

Miscellaneous

- 15.1 The Contract incorporating these Terms and Conditions constitutes the entire understanding and agreement between the parties hereto and any variation shall be binding only if it is in writing signed on behalf of the Company.
- 15.2 The waiver by the Company of any breach of any term of the Contract or these Terms and Conditions shall not prevent the subsequent enforcement of that term and shall not be deemed a waiver of any subsequent breach.
- 15.3 Any notice under the Contract shall be in writing and telexed or sent by facsimile transmission or prepaid first class post or delivered to the address stated herein or to the last known address of the addressee. Service shall be deemed to be effective on the date of the telex or facsimile and in the case of posting on the day following the day of posting and any notice delivered to an address by hand shall be deemed to be effective from the date of such delivery.
- 15.4 Where there are two or more parties to the Contract as Customer, their liability shall be joint and several. In the Contract and these Terms and Conditions and where the context so admits or requires the masculine shall include the feminine or neuter (and vice versa) and the singular shall include the plural.
- 15.5 The Contract and these Terms and Conditions and any disputes which may arise in connection with it shall be governed in all respects by the Laws of the Republic of South Africa.
- 15.6 Time is not of the essence of the contract. Any time or date stipulated by the company for delivery is intended as an estimated time only and the company shall not be liable in any way for any loss or damage (including consequential loss) which may result from non-delivery or late delivery of the equipment or from timeous or late delivery of erroneous equipment, nor shall any such delay or error confer upon the customer any right to rescind the contract.
- 15.7 If any of the company's obligations in terms of this contract shall be interfered with for any reason whatsoever beyond the contract without the company's reasonable control, the company shall have the right to suspend or cancel prejudice to the company's right to recover all the monies as owed to the company at the date of suspension or cancellation.

